

by Feb 14-20 1995.log

RCS file: /p/cvsroot/atlas/BOM,v
working file: atlas/BOM
head: 7.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 7.0
keyword substitution: kv
total revisions: 1799; selected revisions: 11
description:

revision 2.65
date: 1995/02/18 01:18:52; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/leafgen/doc

Adding more graphs and info in design_criterias

revision 2.64
date: 1995/02/17 01:52:34; author: brianl; state: Exp; lines: +2 -2
Release Target: atlas/leafgen

Add muxes

revision 2.63
date: 1995/02/17 00:59:31; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

New xvmux?n schematics

revision 2.62
date: 1995/02/16 23:58:47; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xvmux8n

Added series feedback PMOS

revision 2.61
date: 1995/02/15 18:02:08; author: brianl; state: Exp; lines: +2 -2
Release Target: atlas
 welcome.ht

Add link to logic mapping page

revision 2.60
date: 1995/02/15 18:01:02; author: brianl; state: Exp; lines: +2 -2
Release Target: atlas/doc

Add logic mapping page

revision 2.59
date: 1995/02/15 04:26:22; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/tab/doc

Release this in the right place

Geert

revision 2.58
date: 1995/02/15 04:20:46; author: geert; state: Exp; lines: +5 -1
Release Target: atlas/tab

Release Trancy's Tab data

by Feb 14-20 1995.log

Geert

revision 2.57
date: 1995/02/14 22:39:00; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/leafgen/doc
design_crit.ht

Added 2 sentences about xgraph simulations.

revision 2.56
date: 1995/02/14 19:33:28; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/leafgen

Added xgraph plots for bufn. The files also were re-organized from
yesterdays dir locations.

revision 2.55
date: 1995/02/14 17:58:50; author: wingard; state: Exp; lines: +2 -2
Release Target: atlas
welcome.ht

Fix reference to (moved) std cell documentation

=====

RCS file: /p/cvsroot/atlas/welcome.ht,v
Working file: atlas/welcome.ht
head: 2.6
branch:
locks: strict
access list:
symbolic names:
b4_rich: 2.6
keyword substitution: kv
total revisions: 6; selected revisions: 2
description:

revision 2.6
date: 1995/02/15 18:01:39; author: brianl; state: Exp; lines: +2 -1
Add link to logic mapping page

revision 2.5
date: 1995/02/14 17:58:14; author: wingard; state: Exp; lines: +2 -2
Fix reference to (moved) std cells documentation

=====

RCS file: /p/cvsroot/atlas/baseplate/padring.awk,v
Working file: atlas/baseplate/padring.awk
head: 1.12
branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.12
keyword substitution: kv
total revisions: 12; selected revisions: 1
description:

revision 1.3
date: 1995/02/15 04:34:53; author: geert; state: Exp; lines: +6 -5
Updated pad-ring generation

Geert

by Feb 14-20 1995.log

```
=====
RCS file: /p/cvsroot/atlas/baseplate/Attic/padtext.awk,v
working file: atlas/baseplate/padtext.awk
head: 1.9
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9;    selected revisions: 1
description:
-----
```

```
revision 1.4
date: 1995/02/15 04:34:54; author: geert; state: Exp; lines: +7 -7
Updated pad-ring generation
```

Geert

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/atlas.db,v
working file: atlas/compass/layouts/atlas.db
head: 1.136
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.136
keyword substitution: kv
total revisions: 136;  selected revisions: 1
description:
-----
```

```
revision 1.5
date: 1995/02/16 18:56:46; author: chip; state: Exp; lines: +13 -5
periodic checkin of Thu Feb 16 10:56:44 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/guardring.ly,v
working file: atlas/compass/layouts/guardring.ly
head: 2.9
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9;    selected revisions: 6
description:
-----
```

```
revision 2.6
date: 1995/02/16 01:03:50; author: chip; state: Exp; lines: +5 -5
periodic checkin of Wed Feb 15 17:03:48 PST 1995
-----
```

```
revision 2.5
date: 1995/02/16 01:01:46; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 17:01:44 PST 1995
-----
```

```
revision 2.4
date: 1995/02/16 00:57:36; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 16:57:33 PST 1995
-----
```

```
revision 2.3
date: 1995/02/16 00:51:28; author: chip; state: Exp; lines: +8 -4
periodic checkin of Wed Feb 15 16:51:26 PST 1995
```


by Feb 14-20 1995.log

revision 2.2
date: 1995/02/15 19:13:23; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Feb 15 11:13:21 PST 1995

revision 2.1
date: 1995/02/15 18:52:54; author: chip; state: Exp;
periodic checkin of Wed Feb 15 10:52:52 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/guardringcnr.ly,v
working file: atlas/compass/layouts/guardringcnr.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 2.1
date: 1995/02/15 19:13:25; author: chip; state: Exp;
periodic checkin of Wed Feb 15 11:13:21 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_34x1.ly,v
working file: atlas/compass/layouts/uh_34x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.2
date: 1995/02/15 19:42:35; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 11:42:33 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_46x1.ly,v
working file: atlas/compass/layouts/uh_46x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.2
date: 1995/02/15 19:42:37; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 11:42:33 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/uh_grid.ly,v
working file: atlas/compass/layouts/uh_grid.ly
head: 2.4
branch:
locks: strict

by Feb 14-20 1995.log

```
access list:
symbolic names:
  b4_rich: 2.4
keyword substitution: kv
total revisions: 4;      selected revisions: 1
description:
-----
revision 2.3
date: 1995/02/17 18:46:34; author: chip; state: Exp; lines: +13 -13
periodic checkin of Fri Feb 17 10:46:31 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/uh_hzchk.ly,v
working file: atlas/compass/layouts/uh_hzchk.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
  b4_rich: 2.2
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
-----
```

```
revision 2.1
date: 1995/02/16 19:09:50; author: chip; state: Exp;
periodic checkin of Thu Feb 16 11:09:48 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/uh_vrtchk.ly,v
working file: atlas/compass/layouts/uh_vrtchk.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
  b4_rich: 2.3
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
-----
```

```
revision 2.1
date: 1995/02/16 19:09:51; author: chip; state: Exp;
periodic checkin of Thu Feb 16 11:09:48 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/vlsi.log,v
working file: atlas/compass/layouts/vlsi.log
head: 1.3654
branch:
locks: strict
access list:
symbolic names:
  b4_rich: 1.3654
keyword substitution: kv
total revisions: 3654; selected revisions: 91
description:
-----
revision 1.138
date: 1995/02/17 23:14:03; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 17 15:14:00 PST 1995
-----
revision 1.137
```


by Feb 14-20 1995.log
date: 1995/02/17 23:10:49; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Feb 17 15:10:47 PST 1995

revision 1.136
date: 1995/02/17 23:09:11; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 17 15:09:09 PST 1995

revision 1.135
date: 1995/02/17 23:07:36; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 17 15:07:34 PST 1995

revision 1.134
date: 1995/02/17 23:05:58; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 17 15:05:56 PST 1995

revision 1.133
date: 1995/02/17 23:04:24; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 17 15:04:21 PST 1995

revision 1.132
date: 1995/02/17 23:02:46; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Feb 17 15:02:43 PST 1995

revision 1.131
date: 1995/02/17 23:01:11; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 17 15:01:09 PST 1995

revision 1.130
date: 1995/02/17 22:53:35; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 17 14:53:33 PST 1995

revision 1.129
date: 1995/02/17 22:51:55; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Feb 17 14:51:53 PST 1995

revision 1.128
date: 1995/02/17 22:48:50; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 17 14:48:47 PST 1995

revision 1.127
date: 1995/02/17 22:27:16; author: chip; state: Exp; lines: +8 -0
periodic checkin of Fri Feb 17 14:27:13 PST 1995

revision 1.126
date: 1995/02/17 22:25:37; author: chip; state: Exp; lines: +6 -0
periodic checkin of Fri Feb 17 14:25:34 PST 1995

revision 1.125
date: 1995/02/17 18:46:37; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Feb 17 10:46:31 PST 1995

revision 1.124
date: 1995/02/17 18:44:33; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 17 10:44:31 PST 1995

revision 1.123
date: 1995/02/17 18:35:12; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Feb 17 10:35:10 PST 1995

revision 1.122
date: 1995/02/17 18:33:11; author: chip; state: Exp; lines: +4 -0
periodic checkin of Fri Feb 17 10:33:09 PST 1995

by Feb 14-20 1995.log

revision 1.121

date: 1995/02/17 18:31:12; author: chip; state: Exp; lines: +6 -0
periodic checkin of Fri Feb 17 10:31:10 PST 1995

revision 1.120

date: 1995/02/17 18:29:13; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Feb 17 10:29:10 PST 1995

revision 1.119

date: 1995/02/16 19:09:53; author: chip; state: Exp; lines: +6 -0
periodic checkin of Thu Feb 16 11:09:48 PST 1995

revision 1.118

date: 1995/02/16 18:56:48; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Feb 16 10:56:44 PST 1995

revision 1.117

date: 1995/02/16 18:54:49; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Feb 16 10:54:46 PST 1995

revision 1.116

date: 1995/02/16 17:16:08; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Feb 16 09:16:04 PST 1995

revision 1.115

date: 1995/02/16 01:03:52; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Feb 15 17:03:48 PST 1995

revision 1.114

date: 1995/02/16 01:01:48; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Feb 15 17:01:44 PST 1995

revision 1.113

date: 1995/02/16 00:57:38; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Feb 15 16:57:33 PST 1995

revision 1.112

date: 1995/02/16 00:51:30; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Feb 15 16:51:26 PST 1995

revision 1.111

date: 1995/02/16 00:47:39; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Feb 15 16:47:36 PST 1995

revision 1.110

date: 1995/02/15 21:04:44; author: chip; state: Exp; lines: +10 -0
periodic checkin of Wed Feb 15 13:04:40 PST 1995

revision 1.109

date: 1995/02/15 21:02:10; author: chip; state: Exp; lines: +30 -0
periodic checkin of Wed Feb 15 13:02:04 PST 1995

revision 1.108

date: 1995/02/15 19:42:38; author: chip; state: Exp; lines: +8 -0
periodic checkin of Wed Feb 15 11:42:33 PST 1995

revision 1.107

date: 1995/02/15 19:40:37; author: chip; state: Exp; lines: +5 -0
periodic checkin of Wed Feb 15 11:40:35 PST 1995

revision 1.106

date: 1995/02/15 19:38:34; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Feb 15 11:38:32 PST 1995

by Feb 14-20 1995.log

revision 1.105
date: 1995/02/15 19:36:27; author: chip; state: Exp; lines: +6 -0
periodic checkin of Wed Feb 15 11:36:24 PST 1995

revision 1.104
date: 1995/02/15 19:34:14; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Feb 15 11:34:12 PST 1995

revision 1.103
date: 1995/02/15 19:32:07; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Feb 15 11:32:04 PST 1995

revision 1.102
date: 1995/02/15 19:13:27; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Feb 15 11:13:21 PST 1995

revision 1.101
date: 1995/02/15 19:07:17; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Feb 15 11:07:15 PST 1995

revision 1.100
date: 1995/02/15 18:52:57; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Feb 15 10:52:52 PST 1995

revision 1.99
date: 1995/02/15 18:28:17; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Feb 15 10:28:15 PST 1995

revision 1.98
date: 1995/02/15 18:20:35; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Feb 15 10:20:32 PST 1995

revision 1.97
date: 1995/02/15 18:18:21; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Feb 15 10:18:18 PST 1995

revision 1.96
date: 1995/02/15 18:08:34; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Feb 15 10:08:31 PST 1995

revision 1.95
date: 1995/02/15 17:55:06; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Feb 15 09:55:04 PST 1995

revision 1.94
date: 1995/02/15 17:51:12; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Feb 15 09:51:10 PST 1995

revision 1.93
date: 1995/02/15 17:47:30; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Feb 15 09:47:27 PST 1995

revision 1.92
date: 1995/02/15 00:18:15; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 16:18:13 PST 1995

revision 1.91
date: 1995/02/15 00:15:02; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 16:14:59 PST 1995

revision 1.90
date: 1995/02/14 23:30:54; author: chip; state: Exp; lines: +1 -0

by Feb 14-20 1995.log

periodic checkin of Tue Feb 14 15:30:52 PST 1995

revision 1.89
date: 1995/02/14 23:24:20; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 15:24:17 PST 1995

revision 1.88
date: 1995/02/14 22:30:46; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 14:30:43 PST 1995

revision 1.87
date: 1995/02/14 22:17:04; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 14:17:02 PST 1995

revision 1.86
date: 1995/02/14 22:13:56; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 14:13:55 PST 1995

revision 1.85
date: 1995/02/14 22:12:17; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 14:12:14 PST 1995

revision 1.84
date: 1995/02/14 22:01:56; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 14:01:53 PST 1995

revision 1.83
date: 1995/02/14 22:00:21; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 13:59:52 PST 1995

revision 1.82
date: 1995/02/14 21:58:16; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 13:58:14 PST 1995

revision 1.81
date: 1995/02/14 21:56:40; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 13:56:37 PST 1995

revision 1.80
date: 1995/02/14 21:54:57; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 13:54:55 PST 1995

revision 1.79
date: 1995/02/14 21:53:19; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 14 13:53:16 PST 1995

revision 1.78
date: 1995/02/14 21:51:43; author: chip; state: Exp; lines: +3 -0
periodic checkin of Tue Feb 14 13:51:41 PST 1995

revision 1.77
date: 1995/02/14 19:58:29; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 11:58:27 PST 1995

revision 1.76
date: 1995/02/14 19:50:31; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 11:50:29 PST 1995

revision 1.75
date: 1995/02/14 19:47:01; author: chip; state: Exp; lines: +3 -0
periodic checkin of Tue Feb 14 11:46:59 PST 1995

revision 1.74

-

by Feb 14-20 1995.log
date: 1995/02/14 19:45:12; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 11:45:10 PST 1995

revision 1.73
date: 1995/02/14 19:41:35; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 11:41:32 PST 1995

revision 1.72
date: 1995/02/14 19:28:31; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 11:28:29 PST 1995

revision 1.71
date: 1995/02/14 19:21:05; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 14 11:21:03 PST 1995

revision 1.70
date: 1995/02/14 19:13:18; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 11:13:15 PST 1995

revision 1.69
date: 1995/02/14 19:11:26; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 14 11:11:23 PST 1995

revision 1.68
date: 1995/02/14 19:09:30; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 11:09:27 PST 1995

revision 1.67
date: 1995/02/14 19:07:25; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 11:07:21 PST 1995

revision 1.66
date: 1995/02/14 19:05:39; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 11:05:37 PST 1995

revision 1.65
date: 1995/02/14 19:03:45; author: chip; state: Exp; lines: +16 -0
periodic checkin of Tue Feb 14 11:03:40 PST 1995

revision 1.64
date: 1995/02/14 18:57:10; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 10:57:07 PST 1995

revision 1.63
date: 1995/02/14 18:46:23; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 10:46:19 PST 1995

revision 1.62
date: 1995/02/14 18:44:28; author: chip; state: Exp; lines: +5 -0
periodic checkin of Tue Feb 14 10:44:26 PST 1995

revision 1.61
date: 1995/02/14 18:42:18; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 14 10:42:16 PST 1995

revision 1.60
date: 1995/02/14 18:38:14; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 10:38:11 PST 1995

revision 1.59
date: 1995/02/14 18:35:59; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 14 10:35:56 PST 1995

by Feb 14-20 1995.log

revision 1.58

date: 1995/02/14 18:34:01; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 10:33:58 PST 1995

revision 1.57

date: 1995/02/14 18:31:58; author: chip; state: Exp; lines: +3 -0
periodic checkin of Tue Feb 14 10:31:56 PST 1995

revision 1.56

date: 1995/02/14 18:29:44; author: chip; state: Exp; lines: +3 -0
periodic checkin of Tue Feb 14 10:29:42 PST 1995

revision 1.55

date: 1995/02/14 18:19:07; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 10:19:04 PST 1995

revision 1.54

date: 1995/02/14 18:00:48; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 10:00:45 PST 1995

revision 1.53

date: 1995/02/14 17:54:53; author: chip; state: Exp; lines: +3 -0
periodic checkin of Tue Feb 14 09:54:51 PST 1995

revision 1.52

date: 1995/02/14 17:51:10; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 09:51:08 PST 1995

revision 1.51

date: 1995/02/14 17:49:12; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 09:49:09 PST 1995

revision 1.50

date: 1995/02/14 17:45:31; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 09:45:29 PST 1995

revision 1.49

date: 1995/02/14 17:17:14; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 09:17:12 PST 1995

revision 1.48

date: 1995/02/14 16:03:56; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 08:03:54 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland2n10s.ly,v

working file: atlas/compass/layouts/xland2n10s.ly

head: 2.4

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 2.1

date: 1995/02/15 18:28:19; author: chip; state: Exp;
periodic checkin of Wed Feb 15 10:28:15 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland2n160s.ly,v

working file: atlas/compass/layouts/xland2n160s.ly

by Feb 14-20 1995.log

head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.3
date: 1995/02/15 18:18:23; author: chip; state: Exp; lines: +76 -76
periodic checkin of Wed Feb 15 10:18:18 PST 1995

revision 2.2
date: 1995/02/14 22:17:06; author: chip; state: Exp; lines: +23 -20
periodic checkin of Tue Feb 14 14:17:02 PST 1995

revision 2.1
date: 1995/02/14 22:12:19; author: chip; state: Exp;
periodic checkin of Tue Feb 14 14:12:14 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland2n20s.ly,v
working file: atlas/compass/layouts/xland2n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.1
date: 1995/02/15 18:08:37; author: chip; state: Exp;
periodic checkin of Wed Feb 15 10:08:31 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland2n40s.ly,v
working file: atlas/compass/layouts/xland2n40s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 2.2
date: 1995/02/15 18:20:37; author: chip; state: Exp; lines: +29 -29
periodic checkin of Wed Feb 15 10:20:32 PST 1995

revision 2.1
date: 1995/02/15 00:18:18; author: chip; state: Exp;
periodic checkin of Tue Feb 14 16:18:13 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland2n80s.ly,v
working file: atlas/compass/layouts/xland2n80s.ly
head: 2.5
branch:
locks: strict

by Feb 14-20 1995.log

access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.3
date: 1995/02/15 18:20:39; author: chip; state: Exp; lines: +41 -40
periodic checkin of Wed Feb 15 10:20:32 PST 1995

revision 2.2
date: 1995/02/15 00:15:04; author: chip; state: Exp; lines: +6 -13
periodic checkin of Tue Feb 14 16:14:59 PST 1995

revision 2.1
date: 1995/02/14 23:24:22; author: chip; state: Exp;
periodic checkin of Tue Feb 14 15:24:17 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland3n10s.ly,v
working file: atlas/compass/layouts/xland3n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.1
date: 1995/02/14 18:38:16; author: chip; state: Exp;
periodic checkin of Tue Feb 14 10:38:11 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland3n20s.ly,v
working file: atlas/compass/layouts/xland3n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.1
date: 1995/02/14 17:17:15; author: chip; state: Exp;
periodic checkin of Tue Feb 14 09:17:12 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland3n40s.ly,v
working file: atlas/compass/layouts/xland3n40s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.1

by Feb 14-20 1995.log
date: 1995/02/14 16:03:58; author: chip; state: Exp;
periodic checkin of Tue Feb 14 08:03:54 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xland4n160s.ly,v
working file: atlas/compass/layouts/xland4n160s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 2.5
date: 1995/02/16 17:16:10; author: chip; state: Exp; lines: +14 -15
periodic checkin of Thu Feb 16 09:16:04 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/xlbufn10s.ly,v
working file: atlas/compass/layouts/xlbufn10s.ly
head: 2.8
branch:
locks: strict
access list:
symbolic names:
b4_rich: 2.8
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 2.2
date: 1995/02/15 21:02:12; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:02:04 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/xlbufn160s.ly,v
working file: atlas/compass/layouts/xlbufn160s.ly
head: 2.11
branch:
locks: strict
access list:
symbolic names:
b4_rich: 2.11
keyword substitution: kv
total revisions: 11; selected revisions: 2
description:

revision 2.4
date: 1995/02/15 21:02:14; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:02:04 PST 1995

revision 2.3
date: 1995/02/14 22:01:57; author: chip; state: Exp; lines: +21 -41
periodic checkin of Tue Feb 14 14:01:53 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/xlbufn20s.ly,v
working file: atlas/compass/layouts/xlbufn20s.ly
head: 2.6
branch:
locks: strict

by Feb 14-20 1995.log

access list:

symbolic names:

b4_rich: 2.6

keyword substitution: kv

total revisions: 6; selected revisions: 1

description:

revision 2.2

date: 1995/02/15 21:02:16; author: chip; state: Exp; lines: +3 -3

periodic checkin of Wed Feb 15 13:02:04 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/xlbufn40s.ly,v

working file: atlas/compass/layouts/xlbufn40s.ly

head: 2.11

branch:

locks: strict

access list:

symbolic names:

b4_rich: 2.11

keyword substitution: kv

total revisions: 11; selected revisions: 2

description:

revision 2.3

date: 1995/02/15 21:02:17; author: chip; state: Exp; lines: +3 -3

periodic checkin of Wed Feb 15 13:02:04 PST 1995

revision 2.2

date: 1995/02/15 18:52:59; author: chip; state: Exp; lines: +6 -12

periodic checkin of Wed Feb 15 10:52:52 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/xlbufn80s.ly,v

working file: atlas/compass/layouts/xlbufn80s.ly

head: 2.11

branch:

locks: strict

access list:

symbolic names:

b4_rich: 2.11

keyword substitution: kv

total revisions: 11; selected revisions: 3

description:

revision 2.4

date: 1995/02/15 21:02:19; author: chip; state: Exp; lines: +3 -3

periodic checkin of Wed Feb 15 13:02:04 PST 1995

revision 2.3

date: 1995/02/14 21:53:20; author: chip; state: Exp; lines: +11 -22

periodic checkin of Tue Feb 14 13:53:16 PST 1995

revision 2.2

date: 1995/02/14 21:51:45; author: chip; state: Exp; lines: +3 -4

periodic checkin of Tue Feb 14 13:51:41 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux2n40s.ly,v

working file: atlas/compass/layouts/xlmux2n40s.ly

head: 2.5

branch:

locks: strict

by Feb 14-20 1995.log

access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 18:31:15; author: chip; state: Exp;
periodic checkin of Fri Feb 17 10:31:10 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmutex2n80s.ly,v
working file: atlas/compass/layouts/xlmutex2n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 22:27:18; author: chip; state: Exp;
periodic checkin of Fri Feb 17 14:27:13 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmutex3n40s.ly,v
working file: atlas/compass/layouts/xlmutex3n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 18:31:16; author: chip; state: Exp;
periodic checkin of Fri Feb 17 10:31:10 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmutex3n80s.ly,v
working file: atlas/compass/layouts/xlmutex3n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 22:27:20; author: chip; state: Exp;
periodic checkin of Fri Feb 17 14:27:13 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmutex4n40s.ly,v
working file: atlas/compass/layouts/xlmutex4n40s.ly
head: 2.5
branch:

by Feb 14-20 1995.log

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 18:31:18; author: chip; state: Exp;
periodic checkin of Fri Feb 17 10:31:10 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux4n80s.ly,v
working file: atlas/compass/layouts/xlmux4n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 22:27:22; author: chip; state: Exp;
periodic checkin of Fri Feb 17 14:27:13 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux5n40s.ly,v
working file: atlas/compass/layouts/xlmux5n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 18:33:13; author: chip; state: Exp;
periodic checkin of Fri Feb 17 10:33:09 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux5n80s.ly,v
working file: atlas/compass/layouts/xlmux5n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 22:27:24; author: chip; state: Exp;
periodic checkin of Fri Feb 17 14:27:13 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux6n40s.ly,v
working file: atlas/compass/layouts/xlmux6n40s.ly
head: 2.5

by Feb 14-20 1995.log

```
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;    selected revisions: 1
description:
-----
revision 2.1
date: 1995/02/17 18:33:15; author: chip; state: Exp;
periodic checkin of Fri Feb 17 10:33:09 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux6n80s.ly,v
working file: atlas/compass/layouts/xlmux6n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;    selected revisions: 1
description:
-----
```

```
revision 2.1
date: 1995/02/17 22:27:25; author: chip; state: Exp;
periodic checkin of Fri Feb 17 14:27:13 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux7n40s.ly,v
working file: atlas/compass/layouts/xlmux7n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;    selected revisions: 1
description:
-----
```

```
revision 2.1
date: 1995/02/17 18:35:14; author: chip; state: Exp;
periodic checkin of Fri Feb 17 10:35:10 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux7n80s.ly,v
working file: atlas/compass/layouts/xlmux7n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;    selected revisions: 1
description:
-----
```

```
revision 2.1
date: 1995/02/17 22:25:39; author: chip; state: Exp;
periodic checkin of Fri Feb 17 14:25:34 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux8n40s.ly,v
working file: atlas/compass/layouts/xlmux8n40s.ly
```


by Feb 14-20 1995.log

head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 18:29:16; author: chip; state: Exp;
periodic checkin of Fri Feb 17 10:29:10 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlmux8n80s.ly,v
working file: atlas/compass/layouts/xlmux8n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 22:25:41; author: chip; state: Exp;
periodic checkin of Fri Feb 17 14:25:34 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor2n10s.ly,v
working file: atlas/compass/layouts/xlor2n10s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 2
description:

revision 2.3
date: 1995/02/15 21:02:20; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:02:04 PST 1995
=====

revision 2.2
date: 1995/02/14 19:11:28; author: chip; state: Exp; lines: +8 -5
periodic checkin of Tue Feb 14 11:11:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor2n160s.ly,v
working file: atlas/compass/layouts/xlor2n160s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 2
description:

revision 2.3
date: 1995/02/15 21:02:22; author: chip; state: Exp; lines: +3 -3

by Feb 14-20 1995.log
periodic checkin of wed Feb 15 13:02:04 PST 1995

revision 2.2
date: 1995/02/14 19:41:37; author: chip; state: Exp; lines: +5 -8
periodic checkin of Tue Feb 14 11:41:32 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor2n20s.ly,v
working file: atlas/compass/layouts/xlor2n20s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.2
date: 1995/02/15 21:02:24; author: chip; state: Exp; lines: +3 -3
periodic checkin of wed Feb 15 13:02:04 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor2n40s.ly,v
working file: atlas/compass/layouts/xlor2n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 2
description:

revision 2.3
date: 1995/02/15 21:02:26; author: chip; state: Exp; lines: +3 -3
periodic checkin of wed Feb 15 13:02:04 PST 1995

revision 2.2
date: 1995/02/14 19:21:08; author: chip; state: Exp; lines: +11 -13
periodic checkin of Tue Feb 14 11:21:03 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor2n80s.ly,v
working file: atlas/compass/layouts/xlor2n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 2
description:

revision 2.3
date: 1995/02/15 21:02:27; author: chip; state: Exp; lines: +3 -3
periodic checkin of wed Feb 15 13:02:04 PST 1995

revision 2.2
date: 1995/02/14 19:47:03; author: chip; state: Exp; lines: +13 -16
periodic checkin of Tue Feb 14 11:46:59 PST 1995
=====


```

                                by Feb 14-20 1995.log
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor3n160s.ly,v
working file: atlas/compass/layouts/xlor3n160s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;      selected revisions: 3
description:
-----
revision 2.5
date: 1995/02/15 21:02:29; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:02:04 PST 1995
-----
revision 2.4
date: 1995/02/14 19:03:48; author: chip; state: Exp; lines: +3 -4
periodic checkin of Tue Feb 14 11:03:40 PST 1995
-----
revision 2.3
date: 1995/02/14 18:29:46; author: chip; state: Exp; lines: +131 -123
periodic checkin of Tue Feb 14 10:29:42 PST 1995
=====

```

```

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor3n20s.ly,v
working file: atlas/compass/layouts/xlor3n20s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;      selected revisions: 4
description:
-----
revision 2.5
date: 1995/02/15 21:02:31; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:02:04 PST 1995
-----
revision 2.4
date: 1995/02/14 19:03:50; author: chip; state: Exp; lines: +15 -18
periodic checkin of Tue Feb 14 11:03:40 PST 1995
-----
revision 2.3
date: 1995/02/14 18:36:01; author: chip; state: Exp; lines: +18 -11
periodic checkin of Tue Feb 14 10:35:56 PST 1995
-----
revision 2.2
date: 1995/02/14 17:49:14; author: chip; state: Exp; lines: +30 -32
periodic checkin of Tue Feb 14 09:49:09 PST 1995
=====

```

```

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor3n40s.ly,v
working file: atlas/compass/layouts/xlor3n40s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;      selected revisions: 4
description:
-----

```


by Feb 14-20 1995.log

revision 2.5

date: 1995/02/15 21:04:46; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:04:40 PST 1995

revision 2.4

date: 1995/02/14 19:05:41; author: chip; state: Exp; lines: +12 -12
periodic checkin of Tue Feb 14 11:05:37 PST 1995

revision 2.3

date: 1995/02/14 18:36:02; author: chip; state: Exp; lines: +18 -13
periodic checkin of Tue Feb 14 10:35:56 PST 1995

revision 2.2

date: 1995/02/14 17:54:54; author: chip; state: Exp; lines: +41 -47
periodic checkin of Tue Feb 14 09:54:51 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor3n80s.ly,v

working file: atlas/compass/layouts/xlor3n80s.ly

head: 2.8

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 8; selected revisions: 5

description:

revision 2.6

date: 1995/02/15 21:04:48; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:04:40 PST 1995

revision 2.5

date: 1995/02/14 19:45:15; author: chip; state: Exp; lines: +3 -2
periodic checkin of Tue Feb 14 11:45:10 PST 1995

revision 2.4

date: 1995/02/14 19:07:27; author: chip; state: Exp; lines: +23 -28
periodic checkin of Tue Feb 14 11:07:21 PST 1995

revision 2.3

date: 1995/02/14 18:32:01; author: chip; state: Exp; lines: +29 -21
periodic checkin of Tue Feb 14 10:31:56 PST 1995

revision 2.2

date: 1995/02/14 18:00:51; author: chip; state: Exp; lines: +159 -67
periodic checkin of Tue Feb 14 10:00:45 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor4n10s.ly,v

working file: atlas/compass/layouts/xlor4n10s.ly

head: 2.5

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 5; selected revisions: 2

description:

revision 2.3

date: 1995/02/14 21:56:42; author: chip; state: Exp; lines: +13 -14
periodic checkin of Tue Feb 14 13:56:37 PST 1995

by Feb 14-20 1995.log

revision 2.2
date: 1995/02/14 21:53:22; author: chip; state: Exp; lines: +2 -2
periodic checkin of Tue Feb 14 13:53:16 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor4n160s.ly,v
working file: atlas/compass/layouts/xlor4n160s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 3
description:

revision 2.5
date: 1995/02/15 21:04:50; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:04:40 PST 1995

revision 2.4
date: 1995/02/14 19:13:20; author: chip; state: Exp; lines: +18 -16
periodic checkin of Tue Feb 14 11:13:15 PST 1995

revision 2.3
date: 1995/02/14 18:57:12; author: chip; state: Exp; lines: +192 -214
periodic checkin of Tue Feb 14 10:57:07 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor4n20s.ly,v
working file: atlas/compass/layouts/xlor4n20s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 2
description:

revision 2.4
date: 1995/02/15 21:04:51; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:04:40 PST 1995

revision 2.3
date: 1995/02/14 18:42:21; author: chip; state: Exp; lines: +8 -8
periodic checkin of Tue Feb 14 10:42:16 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor4n40s.ly,v
working file: atlas/compass/layouts/xlor4n40s.ly
head: 2.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 2
description:

revision 2.4
date: 1995/02/15 21:04:53; author: chip; state: Exp; lines: +3 -3

by Feb 14-20 1995.log
periodic checkin of wed Feb 15 13:04:40 PST 1995

revision 2.3
date: 1995/02/14 18:44:30; author: chip; state: Exp; lines: +3 -3
periodic checkin of Tue Feb 14 10:44:26 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/xlor4n80s.ly,v
working file: atlas/compass/layouts/xlor4n80s.ly
head: 2.11
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 3
description:

revision 2.6
date: 1995/02/15 21:04:54; author: chip; state: Exp; lines: +3 -3
periodic checkin of wed Feb 15 13:04:40 PST 1995

revision 2.5
date: 1995/02/14 21:58:17; author: chip; state: Exp; lines: +11 -8
periodic checkin of Tue Feb 14 13:58:14 PST 1995

revision 2.4
date: 1995/02/14 18:44:32; author: chip; state: Exp; lines: +15 -15
periodic checkin of Tue Feb 14 10:44:26 PST 1995
=====

RCS file: /p/cvsroot/atlas/doc/BOM,v
working file: atlas/doc/BOM
head: 37.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 37.0
keyword substitution: kv
total revisions: 83; selected revisions: 2
description:
releasebom adding BOM

revision 28.0
date: 1995/02/15 18:00:48; author: brianl; state: Exp; lines: +1 -1
Release Target: atlas/doc

Add logic mapping page

revision 27.1
date: 1995/02/15 18:00:39; author: brianl; state: Exp; lines: +3 -2
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/doc/decisions.ht,v
working file: atlas/doc/decisions.ht
head: 1.8
branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.8

by Feb 14-20 1995.log

keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 1.8
date: 1995/02/15 18:00:11; author: brianl; state: Exp; lines: +3 -2
Add logic mapping page
=====

RCS file: /p/cvsroot/atlas/doc/map.ht,v
working file: atlas/doc/map.ht
head: 27.6
branch:
locks: strict
access list:
symbolic names:
b4_rich: 27.6
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 27.1
date: 1995/02/15 18:00:14; author: brianl; state: Exp;
Add logic mapping page
=====

RCS file: /p/cvsroot/atlas/ged/BOM,v
working file: atlas/ged/BOM
head: 22.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 22.0
keyword substitution: kv
total revisions: 654; selected revisions: 2
description:

revision 4.5
date: 1995/02/17 00:59:19; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

New xvmux?n schematics

revision 4.4
date: 1995/02/16 23:58:34; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xvmux8n

Added series feedback PMOS
=====

RCS file: /p/cvsroot/atlas/ged/xv/BOM,v
working file: atlas/ged/xv/BOM
head: 33.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 33.0
keyword substitution: kv
total revisions: 102; selected revisions: 3
description:
releasebom adding BOM

by Feb 14-20 1995.log

revision 6.0
date: 1995/02/17 00:59:05; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New xvmux?n schematics

revision 5.3
date: 1995/02/17 00:58:56; author: ong; state: Exp; lines: +8 -2
releasebom: File needs to be up-to-date to use commit -r

revision 5.2
date: 1995/02/16 23:58:23; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xvmux8n

Added series feedback PMOS

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux2n/Attic/BOM,v
working file: atlas/ged/xv/xvmux2n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/02/17 00:55:04; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New xvmux?n schematics

revision 1.1
date: 1995/02/17 00:54:55; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux2n/Attic/body.1.1,v
working file: atlas/ged/xv/xvmux2n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/17 00:51:06; author: ong; state: Exp; lines: +13 -13
Changed square brackets to angle brackets

revision 1.1
date: 1995/02/17 00:33:46; author: ong; state: Exp;
New schematic based on xvmux8n

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux2n/Attic/body.2.1,v
working file: atlas/ged/xv/xvmux2n/body.2.1

by Feb 14-20 1995.log

head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:33:49; author: ong; state: Exp;
New schematic based on xvmux8n
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux2n/Attic/spice.1.1,v
working file: atlas/ged/xv/xvmux2n/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:33:51; author: ong; state: Exp;
New schematic based on xvmux8n
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux2n/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvmux2n/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:33:54; author: ong; state: Exp;
New schematic based on xvmux8n
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux3n/Attic/BOM,v
working file: atlas/ged/xv/xvmux3n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/02/17 00:55:26; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New xvmux?n schematics

by Feb 14-20 1995.log

revision 1.1
date: 1995/02/17 00:55:17; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux3n/Attic/body.1.1,v
working file: atlas/ged/xv/xvmux3n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/17 00:51:10; author: ong; state: Exp; lines: +20 -40
Changed square brackets to angle brackets

revision 1.1
date: 1995/02/17 00:24:41; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux3n/Attic/body.2.1,v
working file: atlas/ged/xv/xvmux3n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/17 00:51:12; author: ong; state: Exp; lines: +20 -40
Changed square brackets to angle brackets

revision 1.1
date: 1995/02/17 00:24:44; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux3n/Attic/spice.1.1,v
working file: atlas/ged/xv/xvmux3n/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:24:46; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux3n/Attic/spice_cn.1.1,v

by Feb 14-20 1995.log
working file: atlas/ged/xv/xvmux3n/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:24:49; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux4n/Attic/BOM,v
working file: atlas/ged/xv/xvmux4n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/02/17 00:55:49; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New xvmux?n schematics

revision 1.1
date: 1995/02/17 00:55:39; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux4n/Attic/body.1.1,v
working file: atlas/ged/xv/xvmux4n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/17 00:51:16; author: ong; state: Exp; lines: +19 -19
Changed square brackets to angle brackets

revision 1.1
date: 1995/02/17 00:25:05; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux4n/Attic/body.2.1,v
working file: atlas/ged/xv/xvmux4n/body.2.1
head: 1.2
branch:
locks: strict

by Feb 14-20 1995.log

access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:25:08; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux4n/Attic/spice.1.1,v
working file: atlas/ged/xv/xvmux4n/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:25:11; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux4n/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvmux4n/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:25:14; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux5n/Attic/BOM,v
working file: atlas/ged/xv/xvmux5n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/02/17 00:56:14; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New xvmux?n schematics

revision 1.1
date: 1995/02/17 00:56:03; author: ong; state: Exp;

by Feb 14-20 1995.log
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas/ged/xv/xvmux5n/Attic/body.1.1,v
working file: atlas/ged/xv/xvmux5n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/17 00:51:20; author: ong; state: Exp; lines: +22 -22
Changed square brackets to angle brackets

revision 1.1
date: 1995/02/17 00:25:31; author: ong; state: Exp;
new schematics based on xvmux8n

RCS file: /p/cvsroot/atlas/ged/xv/xvmux5n/Attic/body.2.1,v
working file: atlas/ged/xv/xvmux5n/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:25:34; author: ong; state: Exp;
new schematics based on xvmux8n

RCS file: /p/cvsroot/atlas/ged/xv/xvmux5n/Attic/spice.1.1,v
working file: atlas/ged/xv/xvmux5n/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:25:37; author: ong; state: Exp;
new schematics based on xvmux8n

RCS file: /p/cvsroot/atlas/ged/xv/xvmux5n/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvmux5n/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv

by Feb 14-20 1995.log
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:25:40; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux6n/Attic/BOM,v
working file: atlas/ged/xv/xvmux6n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/02/17 00:56:37; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New xvmux?n schematics

revision 1.1
date: 1995/02/17 00:56:28; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux6n/Attic/body.1.1,v
working file: atlas/ged/xv/xvmux6n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/17 00:51:24; author: ong; state: Exp; lines: +26 -26
Changed square brackets to angle brackets

revision 1.1
date: 1995/02/17 00:25:50; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux6n/Attic/body.2.1,v
working file: atlas/ged/xv/xvmux6n/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1

by Feb 14-20 1995.log
date: 1995/02/17 00:25:53; author: ong; state: Exp;
new schematics based on xvmux8n

RCS file: /p/cvsroot/atlas/ged/xv/xvmux6n/Attic/spice.1.1,v
working file: atlas/ged/xv/xvmux6n/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:25:55; author: ong; state: Exp;
new schematics based on xvmux8n

RCS file: /p/cvsroot/atlas/ged/xv/xvmux6n/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvmux6n/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:25:58; author: ong; state: Exp;
new schematics based on xvmux8n

RCS file: /p/cvsroot/atlas/ged/xv/xvmux7n/Attic/BOM,v
working file: atlas/ged/xv/xvmux7n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/02/17 00:56:59; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New xvmux?n schematics

revision 1.1
date: 1995/02/17 00:56:50; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas/ged/xv/xvmux7n/Attic/body.1.1,v
working file: atlas/ged/xv/xvmux7n/body.1.1
head: 1.3
branch:

by Feb 14-20 1995.log

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/17 00:51:28; author: ong; state: Exp; lines: +29 -29
Changed square brackets to angle brackets

revision 1.1
date: 1995/02/17 00:26:09; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux7n/Attic/body.2.1,v
working file: atlas/ged/xv/xvmux7n/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:26:12; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux7n/Attic/spice.1.1,v
working file: atlas/ged/xv/xvmux7n/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:26:15; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux7n/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvmux7n/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:26:18; author: ong; state: Exp;
new schematics based on xvmux8n
=====

by Feb 14-20 1995.log

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8n/Attic/BOM,v
working file: atlas/ged/xv/xvmux8n/BOM
head: 6.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 10; selected revisions: 4
description:
releasebom adding BOM

revision 4.0
date: 1995/02/17 00:57:54; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New xvmux?n schematics

revision 3.1
date: 1995/02/17 00:57:46; author: ong; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r

revision 3.0
date: 1995/02/16 23:58:10; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv/xvmux8n

Added series feedback PMOS

revision 2.1
date: 1995/02/16 23:58:01; author: ong; state: Exp; lines: +5 -5
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8n/Attic/body.1.1,v
working file: atlas/ged/xv/xvmux8n/body.1.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 1.3
date: 1995/02/17 00:51:32; author: ong; state: Exp; lines: +32 -32
Changed square brackets to angle brackets

revision 1.2
date: 1995/02/16 23:54:08; author: ong; state: Exp; lines: +33 -32
Added series PMOS to feedback path

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8n/Attic/body.2.1,v
working file: atlas/ged/xv/xvmux8n/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1

by Feb 14-20 1995.log

description:

revision 1.2

date: 1995/02/16 23:54:11; author: ong; state: Exp; lines: +34 -33
Added series PMOS to feedback path
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8n/Attic/spice.1.1,v

working file: atlas/ged/xv/xvmux8n/spice.1.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 1.2

date: 1995/02/16 23:54:13; author: ong; state: Exp; lines: +926 -895
Added series PMOS to feedback path
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8n/Attic/spice_cn.1.1,v

working file: atlas/ged/xv/xvmux8n/spice_cn.1.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 1.2

date: 1995/02/16 23:54:16; author: ong; state: Exp; lines: +189 -178
Added series PMOS to feedback path
=====

RCS file: /p/cvsroot/atlas/leafgen/BOM,v

working file: atlas/leafgen/BOM

head: 45.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 45.0

keyword substitution: kv

total revisions: 129; selected revisions: 6

description:

releasebom adding BOM

revision 6.1

date: 1995/02/18 01:18:43; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/leafgen/doc

Adding more graphs and info in design_criterias

revision 6.0

date: 1995/02/17 01:52:25; author: brianl; state: Exp; lines: +1 -1
Release Target: atlas/leafgen

Add muxes

by Feb 14-20 1995.log

revision 5.2
date: 1995/02/17 01:52:18; author: brianl; state: Exp; lines: +4 -4
releasebom: File needs to be up-to-date to use commit -r

revision 5.1
date: 1995/02/14 22:38:47; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/leafgen/doc
design_crit.ht

Added 2 sentences about xgraph simulations.

revision 5.0
date: 1995/02/14 19:33:16; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/leafgen

Added xgraph plots for bufn. The files also were re-organized from
yesterdays dir locations.

revision 4.5
date: 1995/02/14 19:33:08; author: ong; state: Exp; lines: +2 -39
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/leafgen/makeDepend,v
working file: atlas/leafgen/makeDepend
head: 3.15
branch:
locks: strict
access list:
symbolic names:
b4_rich: 3.15
keyword substitution: kv
total revisions: 15; selected revisions: 1
description:

revision 3.2
date: 1995/02/17 01:50:35; author: brianl; state: Exp; lines: +20 -4
Add muxes
=====

RCS file: /p/cvsroot/atlas/leafgen/parmsche-tech.tcl,v
working file: atlas/leafgen/parmsche-tech.tcl
head: 3.11
branch:
locks: strict
access list:
symbolic names:
b4_rich: 3.11
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

revision 3.2
date: 1995/02/17 00:14:39; author: tom; state: Exp; lines: +2 -1
add beta_mux8n
=====

RCS file: /p/cvsroot/atlas/leafgen/doc/BOM,v
working file: atlas/leafgen/doc/BOM
head: 13.0
branch:
locks: strict

by Feb 14-20 1995.log

```
access list:
symbolic names:
  b4_rich: 13.0
keyword substitution: kv
total revisions: 28;   selected revisions: 6
description:
releasebom adding BOM
-----
revision 6.0
date: 1995/02/18 01:18:34; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/leafgen/doc
```

Adding more graphs and info in design_criterias

```
-----
revision 5.1
date: 1995/02/18 01:18:27; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
-----
revision 5.0
date: 1995/02/17 01:52:06; author: brianl; state: Exp; lines: +1 -1
Release Target: atlas/leafgen
```

Add muxes

```
-----
revision 4.1
date: 1995/02/14 22:38:36; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/leafgen/doc
  design_crit.ht
```

Added 2 sentences about xgraph simulations.

```
-----
revision 4.0
date: 1995/02/14 19:32:53; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/leafgen
```

Added xgraph plots for bufn. The files also were re-organized from yesterdays dir locations.

```
-----
revision 3.1
date: 1995/02/14 19:32:44; author: ong; state: Exp; lines: +3 -10
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas/leafgen/doc/Attic/bufn.ipeak.xgr,v
working file: atlas/leafgen/doc/bufn.ipeak.xgr
head: 3.1
```

```
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;   selected revisions: 1
description:
-----
```

```
revision 3.1
date: 1995/02/14 18:27:06; author: ong; state: Exp;
File renamed from bufn.ipeakxgr
=====
```

```
RCS file: /p/cvsroot/atlas/leafgen/doc/Attic/bufn.ipeakxgr,v
working file: atlas/leafgen/doc/bufn.ipeakxgr
head: 3.1
branch:
```


by Feb 14-20 1995.log

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 3.1
date: 1995/02/14 18:25:40; author: ong; state: Exp;
Extension has been changed from xg to xgr
=====

RCS file: /p/cvsroot/atlas/leafgen/doc/Attic/bufn.t+-.xgr,v
working file: atlas/leafgen/doc/bufn.t+-.xgr
head: 3.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 3.1
date: 1995/02/14 18:25:42; author: ong; state: Exp;
Extension has been changed from xg to xgr
=====

RCS file: /p/cvsroot/atlas/leafgen/doc/Attic/bufn.t+-.xgr,v
working file: atlas/leafgen/doc/bufn.t+-.xgr
head: 3.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 3.1
date: 1995/02/14 18:25:44; author: ong; state: Exp;
Extension has been changed from xg to xgr
=====

RCS file: /p/cvsroot/atlas/leafgen/doc/Attic/bufn.tfall.xgr,v
working file: atlas/leafgen/doc/bufn.tfall.xgr
head: 3.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 3.1
date: 1995/02/14 18:25:46; author: ong; state: Exp;
Extension has been changed from xg to xgr
=====

RCS file: /p/cvsroot/atlas/leafgen/doc/Attic/bufn.thres.xgr,v
working file: atlas/leafgen/doc/bufn.thres.xgr
head: 3.1

by Feb 14-20 1995.log

```
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 3.1
date: 1995/02/14 18:25:48; author: ong; state: Exp;
Extension has been changed from xg to xgr
=====
```

```
RCS file: /p/cvsroot/atlas/leafgen/doc/Attic/bufn.trfsum.xgr,v
working file: atlas/leafgen/doc/bufn.trfsum.xgr
head: 3.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 3.1
date: 1995/02/14 18:25:49; author: ong; state: Exp;
Extension has been changed from xg to xgr
=====
```

```
RCS file: /p/cvsroot/atlas/leafgen/doc/Attic/bufn.trise.xgr,v
working file: atlas/leafgen/doc/bufn.trise.xgr
head: 3.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 3.1
date: 1995/02/14 18:25:52; author: ong; state: Exp;
Extension has been changed from xg to xgr
=====
```

```
RCS file: /p/cvsroot/atlas/leafgen/doc/Attic/bufn.xfr.127.xg,v
working file: atlas/leafgen/doc/bufn.xfr.127.xg
head: 3.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 3.1
date: 1995/02/14 18:16:21; author: ong; state: Exp;
New xgraph files
=====
```

```
RCS file: /p/cvsroot/atlas/leafgen/doc/Attic/bufn.xfr.127.xgr,v
working file: atlas/leafgen/doc/bufn.xfr.127.xgr
```


by Feb 14-20 1995.log

head: 3.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 3.1
date: 1995/02/14 18:25:54; author: ong; state: Exp;
Extension has been changed from xg to xgr
=====

RCS file: /p/cvsroot/atlas/leafgen/doc/Attic/bufn.xfr.25.xg,v
working file: atlas/leafgen/doc/bufn.xfr.25.xg
head: 3.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 3.1
date: 1995/02/14 18:16:24; author: ong; state: Exp;
New xgraph files
=====

RCS file: /p/cvsroot/atlas/leafgen/doc/Attic/bufn.xfr.25.xgr,v
working file: atlas/leafgen/doc/bufn.xfr.25.xgr
head: 3.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 3.1
date: 1995/02/14 18:25:56; author: ong; state: Exp;
Extension has been changed from xg to xgr
=====

RCS file: /p/cvsroot/atlas/leafgen/doc/Attic/bufn.xfr.75.xg,v
working file: atlas/leafgen/doc/bufn.xfr.75.xg
head: 3.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 3.1
date: 1995/02/14 18:16:26; author: ong; state: Exp;
New xgraph files
=====

RCS file: /p/cvsroot/atlas/leafgen/doc/Attic/bufn.xfr.75.xgr,v

by Feb 14-20 1995.log
Working file: atlas/leafgen/doc/bufn.xfr.75.xgr
head: 3.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 3.1
date: 1995/02/14 18:25:58; author: ong; state: Exp;
Extension has been changed from xg to xgr
=====

RCS file: /p/cvsroot/atlas/leafgen/doc/design_crit.ht,v
Working file: atlas/leafgen/doc/design_crit.ht
head: 1.8
branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.8
keyword substitution: kv
total revisions: 8; selected revisions: 5
description:

revision 1.6
date: 1995/02/18 01:17:14; author: ong; state: Exp; lines: +51 -20
Added more data and links to the new graphs

revision 1.5
date: 1995/02/14 22:37:23; author: ong; state: Exp; lines: +3 -2
Added 2 sentences to xgraph simulations

revision 1.4
date: 1995/02/14 19:27:52; author: ong; state: Exp; lines: +14 -0
Added links to xgraphs

revision 1.3
date: 1995/02/14 18:48:00; author: ong; state: Exp; lines: +7 -2
Files moved into subdirectory "xgraph"

revision 1.2
date: 1995/02/14 17:56:14; author: wingard; state: Exp; lines: +2 -2
Fix header for beta ratios
=====

RCS file: /p/cvsroot/atlas/leafgen/doc/xgraph/Attic/BOM,v
Working file: atlas/leafgen/doc/xgraph/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 4
description:
releasebom adding BOM

revision 3.0
date: 1995/02/18 01:18:13; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/leafgen/doc

by Feb 14-20 1995.log

Adding more graphs and info in design_criterias

revision 2.1
date: 1995/02/18 01:18:06; author: ong; state: Exp; lines: +7 -1
releasebom: File needs to be up-to-date to use commit -r

revision 2.0
date: 1995/02/14 19:32:23; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/leafgen

Added xgraph plots for bufn. The files also were re-organized from
yesterdays dir locations.

revision 1.1
date: 1995/02/14 19:32:15; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/leafgen/doc/xgraph/Attic/bufn.ipeak.xgr,v
Working file: atlas/leafgen/doc/xgraph/bufn.ipeak.xgr
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/14 19:26:43; author: ong; state: Exp;
Move ../*.xgr to this subdirectory
=====

RCS file: /p/cvsroot/atlas/leafgen/doc/xgraph/Attic/bufn.tdf.xgr,v
Working file: atlas/leafgen/doc/xgraph/bufn.tdf.xgr
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/14 19:26:45; author: ong; state: Exp;
Move ../*.xgr to this subdirectory
=====

RCS file: /p/cvsroot/atlas/leafgen/doc/xgraph/Attic/bufn.tdr.xgr,v
Working file: atlas/leafgen/doc/xgraph/bufn.tdr.xgr
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1

by Feb 14-20 1995.log
date: 1995/02/14 19:26:47; author: ong; state: Exp;
Move ../*.xgr to this subdirectory

RCS file: /p/cvsroot/atlas/leafgen/doc/xgraph/Attic/bufn.tdrffo.xgr,v
working file: atlas/leafgen/doc/xgraph/bufn.tdrffo.xgr
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 2.1
date: 1995/02/18 00:07:06; author: ong; state: Exp;
Add new graphs

RCS file: /p/cvsroot/atlas/leafgen/doc/xgraph/Attic/bufn.tdsumfo.xgr,v
working file: atlas/leafgen/doc/xgraph/bufn.tdsumfo.xgr
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 2.1
date: 1995/02/18 00:07:09; author: ong; state: Exp;
Add new graphs

RCS file: /p/cvsroot/atlas/leafgen/doc/xgraph/Attic/bufn.tfall.xgr,v
working file: atlas/leafgen/doc/xgraph/bufn.tfall.xgr
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/14 19:26:49; author: ong; state: Exp;
Move ../*.xgr to this subdirectory

RCS file: /p/cvsroot/atlas/leafgen/doc/xgraph/Attic/bufn.thres.xgr,v
working file: atlas/leafgen/doc/xgraph/bufn.thres.xgr
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

by Feb 14-20 1995.log

revision 1.1
date: 1995/02/14 19:26:51; author: ong; state: Exp;
Move ../*.xgr to this subdirectory

RCS file: /p/cvsroot/atlas/leafgen/doc/xgraph/Attic/bufn.trfsum.xgr,v
working file: atlas/leafgen/doc/xgraph/bufn.trfsum.xgr
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/14 19:26:52; author: ong; state: Exp;
Move ../*.xgr to this subdirectory

RCS file: /p/cvsroot/atlas/leafgen/doc/xgraph/Attic/bufn.trise.xgr,v
working file: atlas/leafgen/doc/xgraph/bufn.trise.xgr
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/14 19:26:54; author: ong; state: Exp;
Move ../*.xgr to this subdirectory

RCS file: /p/cvsroot/atlas/leafgen/doc/xgraph/Attic/bufn.xfr.127.xgr,v
working file: atlas/leafgen/doc/xgraph/bufn.xfr.127.xgr
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/14 19:26:56; author: ong; state: Exp;
Move ../*.xgr to this subdirectory

RCS file: /p/cvsroot/atlas/leafgen/doc/xgraph/Attic/bufn.xfr.25.xgr,v
working file: atlas/leafgen/doc/xgraph/bufn.xfr.25.xgr
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

by Feb 14-20 1995.log

revision 1.1
date: 1995/02/14 19:26:58; author: ong; state: Exp;
Move ../*.xgr to this subdirectory
=====

RCS file: /p/cvsroot/atlas/leafgen/doc/xgraph/Attic/bufn.xfr.75.xgr,v
working file: atlas/leafgen/doc/xgraph/bufn.xfr.75.xgr
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/14 19:27:00; author: ong; state: Exp;
Move ../*.xgr to this subdirectory
=====

RCS file: /p/cvsroot/atlas/leafgen/doc/xgraph/Attic/mux4n.tdrf.xgr,v
working file: atlas/leafgen/doc/xgraph/mux4n.tdrf.xgr
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 2.1
date: 1995/02/18 01:08:11; author: ong; state: Exp;
Adding 2 more graphs
=====

RCS file: /p/cvsroot/atlas/leafgen/doc/xgraph/Attic/mux4n.tdsum.xgr,v
working file: atlas/leafgen/doc/xgraph/mux4n.tdsum.xgr
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 2.1
date: 1995/02/18 01:08:13; author: ong; state: Exp;
Adding 2 more graphs
=====

RCS file: /p/cvsroot/atlas/leafgen/doc/xgraph/Attic/muxn.tdrf.xgr,v
working file: atlas/leafgen/doc/xgraph/muxn.tdrf.xgr
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1

by Feb 14-20 1995.log

description:

revision 2.1

date: 1995/02/18 01:01:55; author: ong; state: Exp;
Adding New Graphs
=====

RCS file: /p/cvsroot/atlas/leafgen/doc/xgraph/Attic/muxn.tdsum.xgr,v

working file: atlas/leafgen/doc/xgraph/muxn.tdsum.xgr

head: 2.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 2.1

date: 1995/02/18 01:01:57; author: ong; state: Exp;

Adding New Graphs
=====

RCS file: /p/cvsroot/atlas/tab/BOM,v

working file: atlas/tab/BOM

head: 3.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 3.0

keyword substitution: kv

total revisions: 7; selected revisions: 3

description:

releasebom adding BOM
=====

revision 2.1

date: 1995/02/15 04:26:13; author: geert; state: Exp; lines: +5 -1

Release Target: atlas/tab/doc

Release this in the right place

Geert
=====

revision 2.0

date: 1995/02/15 04:20:34; author: geert; state: Exp; lines: +1 -1

Release Target: atlas/tab

Release Trancy's Tab data

Geert
=====

revision 1.1

date: 1995/02/15 04:20:28; author: geert; state: Exp;

releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/tab/Attic/tab.ht,v

working file: atlas/tab/tab.ht

head: 1.1

branch:

locks: strict

access list:

by Feb 14-20 1995.log

symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/15 04:20:03; author: geert; state: Exp;
Trancy's data on Tab Frames

Geert
=====

RCS file: /p/cvsroot/atlas/tab/doc/BOM,v
working file: atlas/tab/doc/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.0
keyword substitution: kv
total revisions: 6; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/02/15 04:26:02; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/tab/doc

Release this in the right place

Geert

revision 1.1
date: 1995/02/15 04:25:55; author: geert; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/tab/doc/tab.ht,v
working file: atlas/tab/doc/tab.ht
head: 1.4
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.4
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 1.1
date: 1995/02/15 04:25:14; author: geert; state: Exp;
This was in the wrong place

Geert
=====

RCS file: /p/cvsroot/atlas2/BOM,v
working file: atlas2/BOM
head: 201.2755
branch:
locks: strict
access list:

by Feb 14-20 1995.log

symbolic names:

b4_rich: 201.2700

keyword substitution: kv

total revisions: 4418; selected revisions: 11

description:

revision 2.65

date: 1995/02/18 01:18:52; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/leafgen/doc

Adding more graphs and info in design_criterias

revision 2.64

date: 1995/02/17 01:52:34; author: brianl; state: Exp; lines: +2 -2

Release Target: atlas/leafgen

Add muxes

revision 2.63

date: 1995/02/17 00:59:31; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv

New xvmux?n schematics

revision 2.62

date: 1995/02/16 23:58:47; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv/xvmux8n

Added series feedback PMOS

revision 2.61

date: 1995/02/15 18:02:08; author: brianl; state: Exp; lines: +2 -2

Release Target: atlas
welcome.ht

Add link to logic mapping page

revision 2.60

date: 1995/02/15 18:01:02; author: brianl; state: Exp; lines: +2 -2

Release Target: atlas/doc

Add logic mapping page

revision 2.59

date: 1995/02/15 04:26:22; author: geert; state: Exp; lines: +2 -2

Release Target: atlas/tab/doc

Release this in the right place

Geert

revision 2.58

date: 1995/02/15 04:20:46; author: geert; state: Exp; lines: +5 -1

Release Target: atlas/tab

Release Trancy's Tab data

Geert

revision 2.57

date: 1995/02/14 22:39:00; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/leafgen/doc
design_crit.ht

by Feb 14-20 1995.log

Added 2 sentences about xgraph simulations.

revision 2.56
date: 1995/02/14 19:33:28; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/leafgen

Added xgraph plots for bufn. The files also were re-organized from
yesterdays dir locations.

revision 2.55
date: 1995/02/14 17:58:50; author: wingard; state: Exp; lines: +2 -2
Release Target: atlas
welcome.ht

Fix reference to (moved) std cell documentation

=====

RCS file: /p/cvsroot/atlas2/welcome.ht,v
working file: atlas2/welcome.ht
head: 200.4
branch:
locks: strict
access list:
symbolic names:
b4_rich: 200.4
keyword substitution: kv
total revisions: 11; selected revisions: 2
description:

revision 2.6
date: 1995/02/15 18:01:39; author: brianl; state: Exp; lines: +2 -1
Add link to logic mapping page

revision 2.5
date: 1995/02/14 17:58:14; author: wingard; state: Exp; lines: +2 -2
Fix reference to (moved) std cells documentation

=====

RCS file: /p/cvsroot/atlas2/baseplate/padring.awk,v
working file: atlas2/baseplate/padring.awk
head: 200.11
branch:
locks: strict
access list:
symbolic names:
b4_rich: 200.11
keyword substitution: kv
total revisions: 24; selected revisions: 1
description:

revision 1.3
date: 1995/02/15 04:34:53; author: geert; state: Exp; lines: +6 -5
Updated pad-ring generation

Geert

=====

RCS file: /p/cvsroot/atlas2/baseplate/Attic/padtext.awk,v
working file: atlas2/baseplate/padtext.awk
head: 1.9
branch:
locks: strict

by Feb 14-20 1995.log

access list:
symbolic names:
keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 1.4
date: 1995/02/15 04:34:54; author: geert; state: Exp; lines: +7 -7
Updated pad-ring generation

Geert

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/atlas.db,v
working file: atlas2/compass/layouts/atlas.db
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 133; selected revisions: 1
description:

revision 1.5
date: 1995/02/16 18:56:46; author: chip; state: Exp; lines: +13 -5
periodic checkin of Thu Feb 16 10:56:44 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/guardring.ly,v
working file: atlas2/compass/layouts/guardring.ly
head: 2.9
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9; selected revisions: 6
description:

revision 2.6
date: 1995/02/16 01:03:50; author: chip; state: Exp; lines: +5 -5
periodic checkin of Wed Feb 15 17:03:48 PST 1995

revision 2.5
date: 1995/02/16 01:01:46; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 17:01:44 PST 1995

revision 2.4
date: 1995/02/16 00:57:36; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 16:57:33 PST 1995

revision 2.3
date: 1995/02/16 00:51:28; author: chip; state: Exp; lines: +8 -4
periodic checkin of Wed Feb 15 16:51:26 PST 1995

revision 2.2
date: 1995/02/15 19:13:23; author: chip; state: Exp; lines: +4 -4
periodic checkin of Wed Feb 15 11:13:21 PST 1995

revision 2.1
date: 1995/02/15 18:52:54; author: chip; state: Exp;
periodic checkin of Wed Feb 15 10:52:52 PST 1995

by Feb 14-20 1995.log

```
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/guardringcnr.ly,v
working file: atlas2/compass/layouts/guardringcnr.ly
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 2.1
date: 1995/02/15 19:13:25; author: chip; state: Exp;
periodic checkin of Wed Feb 15 11:13:21 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_34x1.ly,v
working file: atlas2/compass/layouts/uh_34x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
```

```
revision 2.2
date: 1995/02/15 19:42:35; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 11:42:33 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_46x1.ly,v
working file: atlas2/compass/layouts/uh_46x1.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
```

```
revision 2.2
date: 1995/02/15 19:42:37; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 11:42:33 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_grid.ly,v
working file: atlas2/compass/layouts/uh_grid.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;    selected revisions: 1
description:
-----
```

```
revision 2.3
date: 1995/02/17 18:46:34; author: chip; state: Exp; lines: +13 -13
```


by Feb 14-20 1995.log
periodic checkin of Fri Feb 17 10:46:31 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_hzchk.ly,v
Working file: atlas2/compass/layouts/uh_hzchk.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.1
date: 1995/02/16 19:09:50; author: chip; state: Exp;
periodic checkin of Thu Feb 16 11:09:48 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_vrtchk.ly,v
Working file: atlas2/compass/layouts/uh_vrtchk.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.1
date: 1995/02/16 19:09:51; author: chip; state: Exp;
periodic checkin of Thu Feb 16 11:09:48 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/vlsi.log,v
Working file: atlas2/compass/layouts/vlsi.log
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3575; selected revisions: 91
description:

revision 1.138
date: 1995/02/17 23:14:03; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 17 15:14:00 PST 1995

revision 1.137
date: 1995/02/17 23:10:49; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Feb 17 15:10:47 PST 1995

revision 1.136
date: 1995/02/17 23:09:11; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 17 15:09:09 PST 1995

revision 1.135
date: 1995/02/17 23:07:36; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 17 15:07:34 PST 1995

revision 1.134

by Feb 14-20 1995.log
date: 1995/02/17 23:05:58; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 17 15:05:56 PST 1995

revision 1.133
date: 1995/02/17 23:04:24; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 17 15:04:21 PST 1995

revision 1.132
date: 1995/02/17 23:02:46; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Feb 17 15:02:43 PST 1995

revision 1.131
date: 1995/02/17 23:01:11; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 17 15:01:09 PST 1995

revision 1.130
date: 1995/02/17 22:53:35; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 17 14:53:33 PST 1995

revision 1.129
date: 1995/02/17 22:51:55; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Feb 17 14:51:53 PST 1995

revision 1.128
date: 1995/02/17 22:48:50; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 17 14:48:47 PST 1995

revision 1.127
date: 1995/02/17 22:27:16; author: chip; state: Exp; lines: +8 -0
periodic checkin of Fri Feb 17 14:27:13 PST 1995

revision 1.126
date: 1995/02/17 22:25:37; author: chip; state: Exp; lines: +6 -0
periodic checkin of Fri Feb 17 14:25:34 PST 1995

revision 1.125
date: 1995/02/17 18:46:37; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Feb 17 10:46:31 PST 1995

revision 1.124
date: 1995/02/17 18:44:33; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Feb 17 10:44:31 PST 1995

revision 1.123
date: 1995/02/17 18:35:12; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Feb 17 10:35:10 PST 1995

revision 1.122
date: 1995/02/17 18:33:11; author: chip; state: Exp; lines: +4 -0
periodic checkin of Fri Feb 17 10:33:09 PST 1995

revision 1.121
date: 1995/02/17 18:31:12; author: chip; state: Exp; lines: +6 -0
periodic checkin of Fri Feb 17 10:31:10 PST 1995

revision 1.120
date: 1995/02/17 18:29:13; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Feb 17 10:29:10 PST 1995

revision 1.119
date: 1995/02/16 19:09:53; author: chip; state: Exp; lines: +6 -0
periodic checkin of Thu Feb 16 11:09:48 PST 1995

by Feb 14-20 1995.log

revision 1.118

date: 1995/02/16 18:56:48; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Feb 16 10:56:44 PST 1995

revision 1.117

date: 1995/02/16 18:54:49; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Feb 16 10:54:46 PST 1995

revision 1.116

date: 1995/02/16 17:16:08; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Feb 16 09:16:04 PST 1995

revision 1.115

date: 1995/02/16 01:03:52; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Feb 15 17:03:48 PST 1995

revision 1.114

date: 1995/02/16 01:01:48; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Feb 15 17:01:44 PST 1995

revision 1.113

date: 1995/02/16 00:57:38; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Feb 15 16:57:33 PST 1995

revision 1.112

date: 1995/02/16 00:51:30; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Feb 15 16:51:26 PST 1995

revision 1.111

date: 1995/02/16 00:47:39; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Feb 15 16:47:36 PST 1995

revision 1.110

date: 1995/02/15 21:04:44; author: chip; state: Exp; lines: +10 -0
periodic checkin of Wed Feb 15 13:04:40 PST 1995

revision 1.109

date: 1995/02/15 21:02:10; author: chip; state: Exp; lines: +30 -0
periodic checkin of Wed Feb 15 13:02:04 PST 1995

revision 1.108

date: 1995/02/15 19:42:38; author: chip; state: Exp; lines: +8 -0
periodic checkin of Wed Feb 15 11:42:33 PST 1995

revision 1.107

date: 1995/02/15 19:40:37; author: chip; state: Exp; lines: +5 -0
periodic checkin of Wed Feb 15 11:40:35 PST 1995

revision 1.106

date: 1995/02/15 19:38:34; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Feb 15 11:38:32 PST 1995

revision 1.105

date: 1995/02/15 19:36:27; author: chip; state: Exp; lines: +6 -0
periodic checkin of Wed Feb 15 11:36:24 PST 1995

revision 1.104

date: 1995/02/15 19:34:14; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Feb 15 11:34:12 PST 1995

revision 1.103

date: 1995/02/15 19:32:07; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Feb 15 11:32:04 PST 1995

by Feb 14-20 1995.log

```
-----
revision 1.102
date: 1995/02/15 19:13:27; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Feb 15 11:13:21 PST 1995
-----
revision 1.101
date: 1995/02/15 19:07:17; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Feb 15 11:07:15 PST 1995
-----
revision 1.100
date: 1995/02/15 18:52:57; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Feb 15 10:52:52 PST 1995
-----
revision 1.99
date: 1995/02/15 18:28:17; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Feb 15 10:28:15 PST 1995
-----
revision 1.98
date: 1995/02/15 18:20:35; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Feb 15 10:20:32 PST 1995
-----
revision 1.97
date: 1995/02/15 18:18:21; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Feb 15 10:18:18 PST 1995
-----
revision 1.96
date: 1995/02/15 18:08:34; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Feb 15 10:08:31 PST 1995
-----
revision 1.95
date: 1995/02/15 17:55:06; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Feb 15 09:55:04 PST 1995
-----
revision 1.94
date: 1995/02/15 17:51:12; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Feb 15 09:51:10 PST 1995
-----
revision 1.93
date: 1995/02/15 17:47:30; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Feb 15 09:47:27 PST 1995
-----
revision 1.92
date: 1995/02/15 00:18:15; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 16:18:13 PST 1995
-----
revision 1.91
date: 1995/02/15 00:15:02; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 16:14:59 PST 1995
-----
revision 1.90
date: 1995/02/14 23:30:54; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 15:30:52 PST 1995
-----
revision 1.89
date: 1995/02/14 23:24:20; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 15:24:17 PST 1995
-----
revision 1.88
date: 1995/02/14 22:30:46; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 14:30:43 PST 1995
-----
revision 1.87
date: 1995/02/14 22:17:04; author: chip; state: Exp; lines: +2 -0
```


by Feb 14-20 1995.log
periodic checkin of Tue Feb 14 14:17:02 PST 1995

revision 1.86
date: 1995/02/14 22:13:56; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 14:13:55 PST 1995

revision 1.85
date: 1995/02/14 22:12:17; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 14:12:14 PST 1995

revision 1.84
date: 1995/02/14 22:01:56; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 14:01:53 PST 1995

revision 1.83
date: 1995/02/14 22:00:21; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 13:59:52 PST 1995

revision 1.82
date: 1995/02/14 21:58:16; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 13:58:14 PST 1995

revision 1.81
date: 1995/02/14 21:56:40; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 13:56:37 PST 1995

revision 1.80
date: 1995/02/14 21:54:57; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 13:54:55 PST 1995

revision 1.79
date: 1995/02/14 21:53:19; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 14 13:53:16 PST 1995

revision 1.78
date: 1995/02/14 21:51:43; author: chip; state: Exp; lines: +3 -0
periodic checkin of Tue Feb 14 13:51:41 PST 1995

revision 1.77
date: 1995/02/14 19:58:29; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 11:58:27 PST 1995

revision 1.76
date: 1995/02/14 19:50:31; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 11:50:29 PST 1995

revision 1.75
date: 1995/02/14 19:47:01; author: chip; state: Exp; lines: +3 -0
periodic checkin of Tue Feb 14 11:46:59 PST 1995

revision 1.74
date: 1995/02/14 19:45:12; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 11:45:10 PST 1995

revision 1.73
date: 1995/02/14 19:41:35; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 11:41:32 PST 1995

revision 1.72
date: 1995/02/14 19:28:31; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 11:28:29 PST 1995

revision 1.71

by Feb 14-20 1995.log
date: 1995/02/14 19:21:05; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 14 11:21:03 PST 1995

revision 1.70
date: 1995/02/14 19:13:18; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 11:13:15 PST 1995

revision 1.69
date: 1995/02/14 19:11:26; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 14 11:11:23 PST 1995

revision 1.68
date: 1995/02/14 19:09:30; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 11:09:27 PST 1995

revision 1.67
date: 1995/02/14 19:07:25; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 11:07:21 PST 1995

revision 1.66
date: 1995/02/14 19:05:39; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 11:05:37 PST 1995

revision 1.65
date: 1995/02/14 19:03:45; author: chip; state: Exp; lines: +16 -0
periodic checkin of Tue Feb 14 11:03:40 PST 1995

revision 1.64
date: 1995/02/14 18:57:10; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 10:57:07 PST 1995

revision 1.63
date: 1995/02/14 18:46:23; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 10:46:19 PST 1995

revision 1.62
date: 1995/02/14 18:44:28; author: chip; state: Exp; lines: +5 -0
periodic checkin of Tue Feb 14 10:44:26 PST 1995

revision 1.61
date: 1995/02/14 18:42:18; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 14 10:42:16 PST 1995

revision 1.60
date: 1995/02/14 18:38:14; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 10:38:11 PST 1995

revision 1.59
date: 1995/02/14 18:35:59; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Feb 14 10:35:56 PST 1995

revision 1.58
date: 1995/02/14 18:34:01; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 10:33:58 PST 1995

revision 1.57
date: 1995/02/14 18:31:58; author: chip; state: Exp; lines: +3 -0
periodic checkin of Tue Feb 14 10:31:56 PST 1995

revision 1.56
date: 1995/02/14 18:29:44; author: chip; state: Exp; lines: +3 -0
periodic checkin of Tue Feb 14 10:29:42 PST 1995

by Feb 14-20 1995.log

revision 1.55

date: 1995/02/14 18:19:07; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 10:19:04 PST 1995

revision 1.54

date: 1995/02/14 18:00:48; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 10:00:45 PST 1995

revision 1.53

date: 1995/02/14 17:54:53; author: chip; state: Exp; lines: +3 -0
periodic checkin of Tue Feb 14 09:54:51 PST 1995

revision 1.52

date: 1995/02/14 17:51:10; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 09:51:08 PST 1995

revision 1.51

date: 1995/02/14 17:49:12; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 09:49:09 PST 1995

revision 1.50

date: 1995/02/14 17:45:31; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Feb 14 09:45:29 PST 1995

revision 1.49

date: 1995/02/14 17:17:14; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 09:17:12 PST 1995

revision 1.48

date: 1995/02/14 16:03:56; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Feb 14 08:03:54 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland2n10s.ly,v

Working file: atlas2/compass/layouts/xland2n10s.ly

head: 2.4

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 2.1

date: 1995/02/15 18:28:19; author: chip; state: Exp;

periodic checkin of wed Feb 15 10:28:15 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland2n160s.ly,v

Working file: atlas2/compass/layouts/xland2n160s.ly

head: 2.5

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 5; selected revisions: 3

description:

revision 2.3

date: 1995/02/15 18:18:23; author: chip; state: Exp; lines: +76 -76

periodic checkin of wed Feb 15 10:18:18 PST 1995

by Feb 14-20 1995.log

revision 2.2
date: 1995/02/14 22:17:06; author: chip; state: Exp; lines: +23 -20
periodic checkin of Tue Feb 14 14:17:02 PST 1995

revision 2.1
date: 1995/02/14 22:12:19; author: chip; state: Exp;
periodic checkin of Tue Feb 14 14:12:14 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland2n20s.ly,v
Working file: atlas2/compass/layouts/xland2n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.1
date: 1995/02/15 18:08:37; author: chip; state: Exp;
periodic checkin of Wed Feb 15 10:08:31 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland2n40s.ly,v
Working file: atlas2/compass/layouts/xland2n40s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 2.2
date: 1995/02/15 18:20:37; author: chip; state: Exp; lines: +29 -29
periodic checkin of Wed Feb 15 10:20:32 PST 1995

revision 2.1
date: 1995/02/15 00:18:18; author: chip; state: Exp;
periodic checkin of Tue Feb 14 16:18:13 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland2n80s.ly,v
Working file: atlas2/compass/layouts/xland2n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 3
description:

revision 2.3
date: 1995/02/15 18:20:39; author: chip; state: Exp; lines: +41 -40
periodic checkin of Wed Feb 15 10:20:32 PST 1995

revision 2.2
date: 1995/02/15 00:15:04; author: chip; state: Exp; lines: +6 -13

by Feb 14-20 1995.log
periodic checkin of Tue Feb 14 16:14:59 PST 1995

revision 2.1
date: 1995/02/14 23:24:22; author: chip; state: Exp;
periodic checkin of Tue Feb 14 15:24:17 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland3n10s.ly,v
working file: atlas2/compass/layouts/xland3n10s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.1
date: 1995/02/14 18:38:16; author: chip; state: Exp;
periodic checkin of Tue Feb 14 10:38:11 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland3n20s.ly,v
working file: atlas2/compass/layouts/xland3n20s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.1
date: 1995/02/14 17:17:15; author: chip; state: Exp;
periodic checkin of Tue Feb 14 09:17:12 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland3n40s.ly,v
working file: atlas2/compass/layouts/xland3n40s.ly
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 2.1
date: 1995/02/14 16:03:58; author: chip; state: Exp;
periodic checkin of Tue Feb 14 08:03:54 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xland4n160s.ly,v
working file: atlas2/compass/layouts/xland4n160s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv

by Feb 14-20 1995.log
total revisions: 7; selected revisions: 1
description:

revision 2.5
date: 1995/02/16 17:16:10; author: chip; state: Exp; lines: +14 -15
periodic checkin of Thu Feb 16 09:16:04 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlbufn10s.ly,v
working file: atlas2/compass/layouts/xlbufn10s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 2.2
date: 1995/02/15 21:02:12; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:02:04 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlbufn160s.ly,v
working file: atlas2/compass/layouts/xlbufn160s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12; selected revisions: 2
description:

revision 2.4
date: 1995/02/15 21:02:14; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:02:04 PST 1995
=====

revision 2.3
date: 1995/02/14 22:01:57; author: chip; state: Exp; lines: +21 -41
periodic checkin of Tue Feb 14 14:01:53 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlbufn20s.ly,v
working file: atlas2/compass/layouts/xlbufn20s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 2.2
date: 1995/02/15 21:02:16; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:02:04 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlbufn40s.ly,v
working file: atlas2/compass/layouts/xlbufn40s.ly
head: 200.0

by Feb 14-20 1995.log

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12; selected revisions: 2
description:

revision 2.3
date: 1995/02/15 21:02:17; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:02:04 PST 1995

revision 2.2
date: 1995/02/15 18:52:59; author: chip; state: Exp; lines: +6 -12
periodic checkin of Wed Feb 15 10:52:52 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlbufn80s.ly,v
working file: atlas2/compass/layouts/xlbufn80s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12; selected revisions: 3
description:

revision 2.4
date: 1995/02/15 21:02:19; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:02:04 PST 1995

revision 2.3
date: 1995/02/14 21:53:20; author: chip; state: Exp; lines: +11 -22
periodic checkin of Tue Feb 14 13:53:16 PST 1995

revision 2.2
date: 1995/02/14 21:51:45; author: chip; state: Exp; lines: +3 -4
periodic checkin of Tue Feb 14 13:51:41 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux2n40s.ly,v
working file: atlas2/compass/layouts/xlmux2n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 18:31:15; author: chip; state: Exp;
periodic checkin of Fri Feb 17 10:31:10 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux2n80s.ly,v
working file: atlas2/compass/layouts/xlmux2n80s.ly
head: 2.5
branch:
locks: strict
access list:

by Feb 14-20 1995.log

symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 22:27:18; author: chip; state: Exp;
periodic checkin of Fri Feb 17 14:27:13 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux3n40s.ly,v
working file: atlas2/compass/layouts/xlmux3n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 18:31:16; author: chip; state: Exp;
periodic checkin of Fri Feb 17 10:31:10 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux3n80s.ly,v
working file: atlas2/compass/layouts/xlmux3n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 22:27:20; author: chip; state: Exp;
periodic checkin of Fri Feb 17 14:27:13 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux4n40s.ly,v
working file: atlas2/compass/layouts/xlmux4n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 18:31:18; author: chip; state: Exp;
periodic checkin of Fri Feb 17 10:31:10 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux4n80s.ly,v
working file: atlas2/compass/layouts/xlmux4n80s.ly
head: 2.5
branch:
locks: strict

by Feb 14-20 1995.log

access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 22:27:22; author: chip; state: Exp;
periodic checkin of Fri Feb 17 14:27:13 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux5n40s.ly,v
working file: atlas2/compass/layouts/xlmux5n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 18:33:13; author: chip; state: Exp;
periodic checkin of Fri Feb 17 10:33:09 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux5n80s.ly,v
working file: atlas2/compass/layouts/xlmux5n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 22:27:24; author: chip; state: Exp;
periodic checkin of Fri Feb 17 14:27:13 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux6n40s.ly,v
working file: atlas2/compass/layouts/xlmux6n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 18:33:15; author: chip; state: Exp;
periodic checkin of Fri Feb 17 10:33:09 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlmux6n80s.ly,v
working file: atlas2/compass/layouts/xlmux6n80s.ly
head: 2.5
branch:

by Feb 14-20 1995.log

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 22:27:25; author: chip; state: Exp;
periodic checkin of Fri Feb 17 14:27:13 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x1mux7n40s.ly,v
working file: atlas2/compass/layouts/x1mux7n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 18:35:14; author: chip; state: Exp;
periodic checkin of Fri Feb 17 10:35:10 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x1mux7n80s.ly,v
working file: atlas2/compass/layouts/x1mux7n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 22:25:39; author: chip; state: Exp;
periodic checkin of Fri Feb 17 14:25:34 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x1mux8n40s.ly,v
working file: atlas2/compass/layouts/x1mux8n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 18:29:16; author: chip; state: Exp;
periodic checkin of Fri Feb 17 10:29:10 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x1mux8n80s.ly,v
working file: atlas2/compass/layouts/x1mux8n80s.ly
head: 2.5

by Feb 14-20 1995.log

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 2.1
date: 1995/02/17 22:25:41; author: chip; state: Exp;
periodic checkin of Fri Feb 17 14:25:34 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor2n10s.ly,v
working file: atlas2/compass/layouts/xlor2n10s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 2
description:

revision 2.3
date: 1995/02/15 21:02:20; author: chip; state: Exp; lines: +3 -3
periodic checkin of wed Feb 15 13:02:04 PST 1995

revision 2.2
date: 1995/02/14 19:11:28; author: chip; state: Exp; lines: +8 -5
periodic checkin of Tue Feb 14 11:11:23 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor2n160s.ly,v
working file: atlas2/compass/layouts/xlor2n160s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 2
description:

revision 2.3
date: 1995/02/15 21:02:22; author: chip; state: Exp; lines: +3 -3
periodic checkin of wed Feb 15 13:02:04 PST 1995

revision 2.2
date: 1995/02/14 19:41:37; author: chip; state: Exp; lines: +5 -8
periodic checkin of Tue Feb 14 11:41:32 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor2n20s.ly,v
working file: atlas2/compass/layouts/xlor2n20s.ly
head: 2.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

by Feb 14-20 1995.log

revision 2.2
date: 1995/02/15 21:02:24; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:02:04 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor2n40s.ly,v
working file: atlas2/compass/layouts/xlor2n40s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 2
description:

revision 2.3
date: 1995/02/15 21:02:26; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:02:04 PST 1995

revision 2.2
date: 1995/02/14 19:21:08; author: chip; state: Exp; lines: +11 -13
periodic checkin of Tue Feb 14 11:21:03 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor2n80s.ly,v
working file: atlas2/compass/layouts/xlor2n80s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 2
description:

revision 2.3
date: 1995/02/15 21:02:27; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:02:04 PST 1995

revision 2.2
date: 1995/02/14 19:47:03; author: chip; state: Exp; lines: +13 -16
periodic checkin of Tue Feb 14 11:46:59 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor3n160s.ly,v
working file: atlas2/compass/layouts/xlor3n160s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 3
description:

revision 2.5
date: 1995/02/15 21:02:29; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:02:04 PST 1995

revision 2.4
date: 1995/02/14 19:03:48; author: chip; state: Exp; lines: +3 -4

by Feb 14-20 1995.log
periodic checkin of Tue Feb 14 11:03:40 PST 1995

revision 2.3
date: 1995/02/14 18:29:46; author: chip; state: Exp; lines: +131 -123
periodic checkin of Tue Feb 14 10:29:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor3n20s.ly,v
working file: atlas2/compass/layouts/xlor3n20s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 4
description:

revision 2.5
date: 1995/02/15 21:02:31; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:02:04 PST 1995

revision 2.4
date: 1995/02/14 19:03:50; author: chip; state: Exp; lines: +15 -18
periodic checkin of Tue Feb 14 11:03:40 PST 1995

revision 2.3
date: 1995/02/14 18:36:01; author: chip; state: Exp; lines: +18 -11
periodic checkin of Tue Feb 14 10:35:56 PST 1995

revision 2.2
date: 1995/02/14 17:49:14; author: chip; state: Exp; lines: +30 -32
periodic checkin of Tue Feb 14 09:49:09 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor3n40s.ly,v
working file: atlas2/compass/layouts/xlor3n40s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 4
description:

revision 2.5
date: 1995/02/15 21:04:46; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:04:40 PST 1995

revision 2.4
date: 1995/02/14 19:05:41; author: chip; state: Exp; lines: +12 -12
periodic checkin of Tue Feb 14 11:05:37 PST 1995

revision 2.3
date: 1995/02/14 18:36:02; author: chip; state: Exp; lines: +18 -13
periodic checkin of Tue Feb 14 10:35:56 PST 1995

revision 2.2
date: 1995/02/14 17:54:54; author: chip; state: Exp; lines: +41 -47
periodic checkin of Tue Feb 14 09:54:51 PST 1995
=====


```

                                by Feb 14-20 1995.log
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor3n80s.ly,v
Working file: atlas2/compass/layouts/xlor3n80s.ly
head: 2.8
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8;      selected revisions: 5
description:
-----
revision 2.6
date: 1995/02/15 21:04:48; author: chip; state: Exp; lines: +3 -3
periodic checkin of wed Feb 15 13:04:40 PST 1995
-----
revision 2.5
date: 1995/02/14 19:45:15; author: chip; state: Exp; lines: +3 -2
periodic checkin of Tue Feb 14 11:45:10 PST 1995
-----
revision 2.4
date: 1995/02/14 19:07:27; author: chip; state: Exp; lines: +23 -28
periodic checkin of Tue Feb 14 11:07:21 PST 1995
-----
revision 2.3
date: 1995/02/14 18:32:01; author: chip; state: Exp; lines: +29 -21
periodic checkin of Tue Feb 14 10:31:56 PST 1995
-----
revision 2.2
date: 1995/02/14 18:00:51; author: chip; state: Exp; lines: +159 -67
periodic checkin of Tue Feb 14 10:00:45 PST 1995
=====

```

```

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor4n10s.ly,v
Working file: atlas2/compass/layouts/xlor4n10s.ly
head: 2.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;      selected revisions: 2
description:
-----
revision 2.3
date: 1995/02/14 21:56:42; author: chip; state: Exp; lines: +13 -14
periodic checkin of Tue Feb 14 13:56:37 PST 1995
-----
revision 2.2
date: 1995/02/14 21:53:22; author: chip; state: Exp; lines: +2 -2
periodic checkin of Tue Feb 14 13:53:16 PST 1995
=====

```

```

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor4n160s.ly,v
Working file: atlas2/compass/layouts/xlor4n160s.ly
head: 2.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;      selected revisions: 3
description:
-----

```


by Feb 14-20 1995.log

revision 2.5

date: 1995/02/15 21:04:50; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:04:40 PST 1995

revision 2.4

date: 1995/02/14 19:13:20; author: chip; state: Exp; lines: +18 -16
periodic checkin of Tue Feb 14 11:13:15 PST 1995

revision 2.3

date: 1995/02/14 18:57:12; author: chip; state: Exp; lines: +192 -214
periodic checkin of Tue Feb 14 10:57:07 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor4n20s.ly,v

working file: atlas2/compass/layouts/xlor4n20s.ly

head: 2.5

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 5; selected revisions: 2

description:

revision 2.4

date: 1995/02/15 21:04:51; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:04:40 PST 1995

revision 2.3

date: 1995/02/14 18:42:21; author: chip; state: Exp; lines: +8 -8
periodic checkin of Tue Feb 14 10:42:16 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor4n40s.ly,v

working file: atlas2/compass/layouts/xlor4n40s.ly

head: 2.6

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 6; selected revisions: 2

description:

revision 2.4

date: 1995/02/15 21:04:53; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:04:40 PST 1995

revision 2.3

date: 1995/02/14 18:44:30; author: chip; state: Exp; lines: +3 -3
periodic checkin of Tue Feb 14 10:44:26 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xlor4n80s.ly,v

working file: atlas2/compass/layouts/xlor4n80s.ly

head: 2.11

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 11; selected revisions: 3

description:

by Feb 14-20 1995.log

revision 2.6
date: 1995/02/15 21:04:54; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Feb 15 13:04:40 PST 1995

revision 2.5
date: 1995/02/14 21:58:17; author: chip; state: Exp; lines: +11 -8
periodic checkin of Tue Feb 14 13:58:14 PST 1995

revision 2.4
date: 1995/02/14 18:44:32; author: chip; state: Exp; lines: +15 -15
periodic checkin of Tue Feb 14 10:44:26 PST 1995
=====

RCS file: /p/cvsroot/atlas2/doc/BOM,v
working file: atlas2/doc/BOM
head: 208.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 203.0
keyword substitution: kv
total revisions: 101; selected revisions: 2
description:
releasebom adding BOM

revision 28.0
date: 1995/02/15 18:00:48; author: brianl; state: Exp; lines: +1 -1
Release Target: atlas/doc

Add logic mapping page

revision 27.1
date: 1995/02/15 18:00:39; author: brianl; state: Exp; lines: +3 -2
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/doc/decisions.ht,v
working file: atlas2/doc/decisions.ht
head: 200.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 10; selected revisions: 1
description:

revision 1.8
date: 1995/02/15 18:00:11; author: brianl; state: Exp; lines: +3 -2
Add logic mapping page
=====

RCS file: /p/cvsroot/atlas2/doc/map.ht,v
working file: atlas2/doc/map.ht
head: 200.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.1

by Feb 14-20 1995.log

keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 27.1
date: 1995/02/15 18:00:14; author: brianl; state: Exp;
Add logic mapping page
=====

RCS file: /p/cvsroot/atlas2/ged/BOM,v
working file: atlas2/ged/BOM
head: 207.61
branch:
locks: strict
access list:
symbolic names:

b4_rich: 207.57
keyword substitution: kv
total revisions: 1847; selected revisions: 2
description:

revision 4.5
date: 1995/02/17 00:59:19; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

New xvmux?n schematics

revision 4.4
date: 1995/02/16 23:58:34; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xvmux8n

Added series feedback PMOS
=====

RCS file: /p/cvsroot/atlas2/ged/xv/BOM,v
working file: atlas2/ged/xv/BOM
head: 212.0
branch:
locks: strict
access list:
symbolic names:

b4_rich: 212.0
keyword substitution: kv
total revisions: 348; selected revisions: 3
description:
releasebom adding BOM

revision 6.0
date: 1995/02/17 00:59:05; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New xvmux?n schematics

revision 5.3
date: 1995/02/17 00:58:56; author: ong; state: Exp; lines: +8 -2
releasebom: File needs to be up-to-date to use commit -r

revision 5.2
date: 1995/02/16 23:58:23; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xvmux8n

Added series feedback PMOS
=====

by Feb 14-20 1995.log

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux2n/Attic/BOM,v
working file: atlas2/ged/xv/xvmux2n/BOM
head: 4.0

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/02/17 00:55:04; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New xvmux2n schematics

revision 1.1
date: 1995/02/17 00:54:55; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux2n/Attic/body.1.1,v
working file: atlas2/ged/xv/xvmux2n/body.1.1
head: 1.3

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/17 00:51:06; author: ong; state: Exp; lines: +13 -13
Changed square brackets to angle brackets

revision 1.1
date: 1995/02/17 00:33:46; author: ong; state: Exp;
New schematic based on xvmux8n

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux2n/Attic/body.2.1,v
working file: atlas2/ged/xv/xvmux2n/body.2.1
head: 1.2

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:33:49; author: ong; state: Exp;
New schematic based on xvmux8n

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux2n/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvmux2n/spice.1.1
head: 1.2

by Feb 14-20 1995.log

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:33:51; author: ong; state: Exp;
New schematic based on xvmux8n
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux2n/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvmux2n/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:33:54; author: ong; state: Exp;
New schematic based on xvmux8n
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux3n/Attic/BOM,v
working file: atlas2/ged/xv/xvmux3n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/02/17 00:55:26; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New xvmux?n schematics

revision 1.1
date: 1995/02/17 00:55:17; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux3n/Attic/body.1.1,v
working file: atlas2/ged/xv/xvmux3n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

by Feb 14-20 1995.log

revision 1.2

date: 1995/02/17 00:51:10; author: ong; state: Exp; lines: +20 -40
changed square brackets to angle brackets

revision 1.1

date: 1995/02/17 00:24:41; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux3n/Attic/body.2.1,v

working file: atlas2/ged/xv/xvmux3n/body.2.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

revision 1.2

date: 1995/02/17 00:51:12; author: ong; state: Exp; lines: +20 -40
Changed square brackets to angle brackets

revision 1.1

date: 1995/02/17 00:24:44; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux3n/Attic/spice.1.1,v

working file: atlas2/ged/xv/xvmux3n/spice.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 1.1

date: 1995/02/17 00:24:46; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux3n/Attic/spice_cn.1.1,v

working file: atlas2/ged/xv/xvmux3n/spice_cn.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 1.1

date: 1995/02/17 00:24:49; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux4n/Attic/BOM,v

working file: atlas2/ged/xv/xvmux4n/BOM

by Feb 14-20 1995.log

head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/02/17 00:55:49; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New xvmux7n schematics

revision 1.1
date: 1995/02/17 00:55:39; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux4n/Attic/body.1.1,v
working file: atlas2/ged/xv/xvmux4n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/17 00:51:16; author: ong; state: Exp; lines: +19 -19
Changed square brackets to angle brackets

revision 1.1
date: 1995/02/17 00:25:05; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux4n/Attic/body.2.1,v
working file: atlas2/ged/xv/xvmux4n/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:25:08; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux4n/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvmux4n/spice.1.1
head: 1.2
branch:
locks: strict
access list:

by Feb 14-20 1995.log

symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:25:11; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux4n/Attic/spice_cn.1.1,v
Working file: atlas2/ged/xv/xvmux4n/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:25:14; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux5n/Attic/BOM,v
Working file: atlas2/ged/xv/xvmux5n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/02/17 00:56:14; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New xvmux?n schematics

revision 1.1
date: 1995/02/17 00:56:03; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux5n/Attic/body.1.1,v
Working file: atlas2/ged/xv/xvmux5n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/17 00:51:20; author: ong; state: Exp; lines: +22 -22
Changed square brackets to angle brackets

by Feb 14-20 1995.log

revision 1.1
date: 1995/02/17 00:25:31; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux5n/Attic/body.2.1,v
working file: atlas2/ged/xv/xvmux5n/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:25:34; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux5n/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvmux5n/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:25:37; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux5n/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvmux5n/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:25:40; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux6n/Attic/BOM,v
working file: atlas2/ged/xv/xvmux6n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 2

by Feb 14-20 1995.log

description:
releasebom adding BOM

revision 2.0
date: 1995/02/17 00:56:37; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New xvmux?n schematics

revision 1.1
date: 1995/02/17 00:56:28; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux6n/Attic/body.1.1,v
working file: atlas2/ged/xv/xvmux6n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/17 00:51:24; author: ong; state: Exp; lines: +26 -26
Changed square brackets to angle brackets

revision 1.1
date: 1995/02/17 00:25:50; author: ong; state: Exp;
new schematics based on xvmux8n

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux6n/Attic/body.2.1,v
working file: atlas2/ged/xv/xvmux6n/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:25:53; author: ong; state: Exp;
new schematics based on xvmux8n

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux6n/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvmux6n/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:25:55; author: ong; state: Exp;

by Feb 14-20 1995.log
new schematics based on xvmux8n

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux6n/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvmux6n/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:25:58; author: ong; state: Exp;
new schematics based on xvmux8n

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux7n/Attic/BOM,v
working file: atlas2/ged/xv/xvmux7n/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/02/17 00:56:59; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

New xvmux7n schematics

revision 1.1
date: 1995/02/17 00:56:50; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux7n/Attic/body.1.1,v
working file: atlas2/ged/xv/xvmux7n/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 1.2
date: 1995/02/17 00:51:28; author: ong; state: Exp; lines: +29 -29
Changed square brackets to angle brackets

revision 1.1
date: 1995/02/17 00:26:09; author: ong; state: Exp;
new schematics based on xvmux8n

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux7n/Attic/body.2.1,v

by Feb 14-20 1995.log
working file: atlas2/ged/xv/xvmux7n/body.2.1

head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:26:12; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux7n/Attic/spice.1.1,v

working file: atlas2/ged/xv/xvmux7n/spice.1.1

head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:26:15; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux7n/Attic/spice_cn.1.1,v

working file: atlas2/ged/xv/xvmux7n/spice_cn.1.1

head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/02/17 00:26:18; author: ong; state: Exp;
new schematics based on xvmux8n
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8n/Attic/BOM,v

working file: atlas2/ged/xv/xvmux8n/BOM

head: 6.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 10; selected revisions: 4
description:
releasebom adding BOM

revision 4.0
date: 1995/02/17 00:57:54; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

by Feb 14-20 1995.log

New xvmux?n schematics

revision 3.1

date: 1995/02/17 00:57:46; author: ong; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r

revision 3.0

date: 1995/02/16 23:58:10; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv/xvmux8n

Added series feedback PMOS

revision 2.1

date: 1995/02/16 23:58:01; author: ong; state: Exp; lines: +5 -5
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8n/Attic/body.1.1,v

working file: atlas2/ged/xv/xvmux8n/body.1.1

head: 1.4

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 2

description:

revision 1.3

date: 1995/02/17 00:51:32; author: ong; state: Exp; lines: +32 -32
Changed square brackets to angle brackets

revision 1.2

date: 1995/02/16 23:54:08; author: ong; state: Exp; lines: +33 -32
Added series PMOS to feedback path

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8n/Attic/body.2.1,v

working file: atlas2/ged/xv/xvmux8n/body.2.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 1.2

date: 1995/02/16 23:54:11; author: ong; state: Exp; lines: +34 -33
Added series PMOS to feedback path

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8n/Attic/spice.1.1,v

working file: atlas2/ged/xv/xvmux8n/spice.1.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

by Feb 14-20 1995.log

revision 1.2
date: 1995/02/16 23:54:13; author: ong; state: Exp; lines: +926 -895
Added series PMOS to feedback path
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8n/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvmux8n/spice_cn.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.2
date: 1995/02/16 23:54:16; author: ong; state: Exp; lines: +189 -178
Added series PMOS to feedback path
=====

RCS file: /p/cvsroot/atlas2/leafgen/BOM,v
working file: atlas2/leafgen/BOM
head: 238.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 238.0
keyword substitution: kv
total revisions: 235; selected revisions: 6
description:
releasebom adding BOM

revision 6.1
date: 1995/02/18 01:18:43; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/leafgen/doc

Adding more graphs and info in design_criterias

revision 6.0
date: 1995/02/17 01:52:25; author: brianl; state: Exp; lines: +1 -1
Release Target: atlas/leafgen

Add muxes

revision 5.2
date: 1995/02/17 01:52:18; author: brianl; state: Exp; lines: +4 -4
releasebom: File needs to be up-to-date to use commit -r

revision 5.1
date: 1995/02/14 22:38:47; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/leafgen/doc
design_crit.ht

Added 2 sentences about xgraph simulations.

revision 5.0
date: 1995/02/14 19:33:16; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/leafgen

Added xgraph plots for bufn. The files also were re-organized from

by Feb 14-20 1995.log

yesterdays dir locations.

```
-----
revision 4.5
date: 1995/02/14 19:33:08; author: ong; state: Exp; lines: +2 -39
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas2/leafgen/Attic/makeDepend,v
working file: atlas2/leafgen/makeDepend
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 15; selected revisions: 1
description:
-----
```

```
revision 3.2
date: 1995/02/17 01:50:35; author: brianl; state: Exp; lines: +20 -4
Add muxes
=====
```

```
RCS file: /p/cvsroot/atlas2/leafgen/Attic/parmsche-tech.tcl,v
working file: atlas2/leafgen/parmsche-tech.tcl
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12; selected revisions: 1
description:
-----
```

```
revision 3.2
date: 1995/02/17 00:14:39; author: tom; state: Exp; lines: +2 -1
add beta_mux8n
=====
```

```
RCS file: /p/cvsroot/atlas2/leafgen/doc/BOM,v
working file: atlas2/leafgen/doc/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 201.0
keyword substitution: kv
total revisions: 31; selected revisions: 6
description:
releasebom adding BOM
-----
```

```
revision 6.0
date: 1995/02/18 01:18:34; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/leafgen/doc
```

Adding more graphs and info in design_criterias

```
-----
revision 5.1
date: 1995/02/18 01:18:27; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====
```

revision 5.0

by Feb 14-20 1995.log
date: 1995/02/17 01:52:06; author: brianl; state: Exp; lines: +1 -1
Release Target: atlas/leafgen

Add muxes

revision 4.1
date: 1995/02/14 22:38:36; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/leafgen/doc
design_crit.ht

Added 2 sentences about xgraph simulations.

revision 4.0
date: 1995/02/14 19:32:53; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/leafgen

Added xgraph plots for bufn. The files also were re-organized from
yesterdays dir locations.

revision 3.1
date: 1995/02/14 19:32:44; author: ong; state: Exp; lines: +3 -10
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/leafgen/doc/Attic/bufn.ipeak.xgr,v
Working file: atlas2/leafgen/doc/bufn.ipeak.xgr
head: 3.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 3.1
date: 1995/02/14 18:27:06; author: ong; state: Exp;
File renamed from bufn.ipeakxgr

=====

RCS file: /p/cvsroot/atlas2/leafgen/doc/Attic/bufn.ipeakxgr,v
Working file: atlas2/leafgen/doc/bufn.ipeakxgr
head: 3.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 3.1
date: 1995/02/14 18:25:40; author: ong; state: Exp;
Extension has been changed from xg to xgr

=====

RCS file: /p/cvsroot/atlas2/leafgen/doc/Attic/bufn.t+-xgr,v
Working file: atlas2/leafgen/doc/bufn.t+-xgr
head: 3.1
branch:
locks: strict
access list:
symbolic names:

by Feb 14-20 1995.log

keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 3.1
date: 1995/02/14 18:25:42; author: ong; state: Exp;
Extension has been changed from xg to xgr
=====

RCS file: /p/cvsroot/atlas2/leafgen/doc/Attic/bufn.t-+.xgr,v
working file: atlas2/leafgen/doc/bufn.t-+.xgr
head: 3.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 3.1
date: 1995/02/14 18:25:44; author: ong; state: Exp;
Extension has been changed from xg to xgr
=====

RCS file: /p/cvsroot/atlas2/leafgen/doc/Attic/bufn.tfall.xgr,v
working file: atlas2/leafgen/doc/bufn.tfall.xgr
head: 3.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 3.1
date: 1995/02/14 18:25:46; author: ong; state: Exp;
Extension has been changed from xg to xgr
=====

RCS file: /p/cvsroot/atlas2/leafgen/doc/Attic/bufn.thres.xgr,v
working file: atlas2/leafgen/doc/bufn.thres.xgr
head: 3.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 3.1
date: 1995/02/14 18:25:48; author: ong; state: Exp;
Extension has been changed from xg to xgr
=====

RCS file: /p/cvsroot/atlas2/leafgen/doc/Attic/bufn.trfsum.xgr,v
working file: atlas2/leafgen/doc/bufn.trfsum.xgr
head: 3.1
branch:
locks: strict
access list:

by Feb 14-20 1995.log

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 3.1

date: 1995/02/14 18:25:49; author: ong; state: Exp;

Extension has been changed from xg to xgr
=====

RCS file: /p/cvsroot/atlas2/leafgen/doc/Attic/bufn.trise.xgr,v

working file: atlas2/leafgen/doc/bufn.trise.xgr

head: 3.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 3.1

date: 1995/02/14 18:25:52; author: ong; state: Exp;

Extension has been changed from xg to xgr
=====

RCS file: /p/cvsroot/atlas2/leafgen/doc/Attic/bufn.xfr.127.xg,v

working file: atlas2/leafgen/doc/bufn.xfr.127.xg

head: 3.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 3.1

date: 1995/02/14 18:16:21; author: ong; state: Exp;

New xgraph files
=====

RCS file: /p/cvsroot/atlas2/leafgen/doc/Attic/bufn.xfr.127.xgr,v

working file: atlas2/leafgen/doc/bufn.xfr.127.xgr

head: 3.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 3.1

date: 1995/02/14 18:25:54; author: ong; state: Exp;

Extension has been changed from xg to xgr
=====

RCS file: /p/cvsroot/atlas2/leafgen/doc/Attic/bufn.xfr.25.xg,v

working file: atlas2/leafgen/doc/bufn.xfr.25.xg

head: 3.1

branch:

locks: strict

by Feb 14-20 1995.log

access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 3.1
date: 1995/02/14 18:16:24; author: ong; state: Exp;
New xgraph files
=====

RCS file: /p/cvsroot/atlas2/leafgen/doc/Attic/bufn.xfr.25.xgr,v
working file: atlas2/leafgen/doc/bufn.xfr.25.xgr
head: 3.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 3.1
date: 1995/02/14 18:25:56; author: ong; state: Exp;
Extension has been changed from xg to xgr
=====

RCS file: /p/cvsroot/atlas2/leafgen/doc/Attic/bufn.xfr.75.xg,v
working file: atlas2/leafgen/doc/bufn.xfr.75.xg
head: 3.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 3.1
date: 1995/02/14 18:16:26; author: ong; state: Exp;
New xgraph files
=====

RCS file: /p/cvsroot/atlas2/leafgen/doc/Attic/bufn.xfr.75.xgr,v
working file: atlas2/leafgen/doc/bufn.xfr.75.xgr
head: 3.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 3.1
date: 1995/02/14 18:25:58; author: ong; state: Exp;
Extension has been changed from xg to xgr
=====

RCS file: /p/cvsroot/atlas2/leafgen/doc/design_crit.ht,v
working file: atlas2/leafgen/doc/design_crit.ht
head: 200.0
branch:

by Feb 14-20 1995.log

locks: strict

access list:

symbolic names:

b4_rich: 200.0

keyword substitution: kv

total revisions: 9; selected revisions: 5

description:

revision 1.6

date: 1995/02/18 01:17:14; author: ong; state: Exp; lines: +51 -20

Added more data and links to the new graphs

revision 1.5

date: 1995/02/14 22:37:23; author: ong; state: Exp; lines: +3 -2

Added 2 sentences to xgraph simulations

revision 1.4

date: 1995/02/14 19:27:52; author: ong; state: Exp; lines: +14 -0

Added links to xgraphs

revision 1.3

date: 1995/02/14 18:48:00; author: ong; state: Exp; lines: +7 -2

Files moved into subdirectory "xgraph"

revision 1.2

date: 1995/02/14 17:56:14; author: wingard; state: Exp; lines: +2 -2

Fix header for beta ratios
=====

RCS file: /p/cvsroot/atlas2/leafgen/doc/xgraph/Attic/BOM,v

working file: atlas2/leafgen/doc/xgraph/BOM

head: 4.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 6; selected revisions: 4

description:

releasebom adding BOM

revision 3.0

date: 1995/02/18 01:18:13; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/leafgen/doc

Adding more graphs and info in design_criterias

revision 2.1

date: 1995/02/18 01:18:06; author: ong; state: Exp; lines: +7 -1

releasebom: File needs to be up-to-date to use commit -r

revision 2.0

date: 1995/02/14 19:32:23; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/leafgen

Added xgraph plots for bufn. The files also were re-organized from
yesterdays dir locations.

revision 1.1

date: 1995/02/14 19:32:15; author: ong; state: Exp;

releasebom: File needs to be up-to-date to use commit -r
=====


```

                                by Feb 14-20 1995.log
RCS file: /p/cvsroot/atlas2/leafgen/doc/xgraph/Attic/bufn.ipeak.xgr,v
Working file: atlas2/leafgen/doc/xgraph/bufn.ipeak.xgr
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/14 19:26:43; author: ong; state: Exp;
Move ../*.xgr to this subdirectory
=====

```

```

RCS file: /p/cvsroot/atlas2/leafgen/doc/xgraph/Attic/bufn.tdf.xgr,v
Working file: atlas2/leafgen/doc/xgraph/bufn.tdf.xgr
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/14 19:26:45; author: ong; state: Exp;
Move ../*.xgr to this subdirectory
=====

```

```

RCS file: /p/cvsroot/atlas2/leafgen/doc/xgraph/Attic/bufn.tdr.xgr,v
Working file: atlas2/leafgen/doc/xgraph/bufn.tdr.xgr
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/14 19:26:47; author: ong; state: Exp;
Move ../*.xgr to this subdirectory
=====

```

```

RCS file: /p/cvsroot/atlas2/leafgen/doc/xgraph/Attic/bufn.tdrffo.xgr,v
Working file: atlas2/leafgen/doc/xgraph/bufn.tdrffo.xgr
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 2.1
date: 1995/02/18 00:07:06; author: ong; state: Exp;
Add new graphs
=====

```


by Feb 14-20 1995.log

```
RCS file: /p/cvsroot/atlas2/leafgen/doc/xgraph/Attic/bufn.tdsumfo.xgr,v
working file: atlas2/leafgen/doc/xgraph/bufn.tdsumfo.xgr
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 2.1
date: 1995/02/18 00:07:09; author: ong; state: Exp;
Add new graphs
```

```
RCS file: /p/cvsroot/atlas2/leafgen/doc/xgraph/Attic/bufn.tfall.xgr,v
working file: atlas2/leafgen/doc/xgraph/bufn.tfall.xgr
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/14 19:26:49; author: ong; state: Exp;
Move ../*.xgr to this subdirectory
```

```
RCS file: /p/cvsroot/atlas2/leafgen/doc/xgraph/Attic/bufn.thres.xgr,v
working file: atlas2/leafgen/doc/xgraph/bufn.thres.xgr
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/14 19:26:51; author: ong; state: Exp;
Move ../*.xgr to this subdirectory
```

```
RCS file: /p/cvsroot/atlas2/leafgen/doc/xgraph/Attic/bufn.trfsum.xgr,v
working file: atlas2/leafgen/doc/xgraph/bufn.trfsum.xgr
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/02/14 19:26:52; author: ong; state: Exp;
Move ../*.xgr to this subdirectory
```


by Feb 14-20 1995.log

```
=====
RCS file: /p/cvsroot/atlas2/leafgen/doc/xgraph/Attic/bufn.trise.xgr,v
working file: atlas2/leafgen/doc/xgraph/bufn.trise.xgr
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/02/14 19:26:54; author: ong; state: Exp;
Move ../*.xgr to this subdirectory
=====
```

```
RCS file: /p/cvsroot/atlas2/leafgen/doc/xgraph/Attic/bufn.xfr.127.xgr,v
working file: atlas2/leafgen/doc/xgraph/bufn.xfr.127.xgr
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/02/14 19:26:56; author: ong; state: Exp;
Move ../*.xgr to this subdirectory
=====
```

```
RCS file: /p/cvsroot/atlas2/leafgen/doc/xgraph/Attic/bufn.xfr.25.xgr,v
working file: atlas2/leafgen/doc/xgraph/bufn.xfr.25.xgr
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/02/14 19:26:58; author: ong; state: Exp;
Move ../*.xgr to this subdirectory
=====
```

```
RCS file: /p/cvsroot/atlas2/leafgen/doc/xgraph/Attic/bufn.xfr.75.xgr,v
working file: atlas2/leafgen/doc/xgraph/bufn.xfr.75.xgr
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/02/14 19:27:00; author: ong; state: Exp;
```


by Feb 14-20 1995.log
Move ../*.xgr to this subdirectory

RCS file: /p/cvsroot/atlas2/leafgen/doc/xgraph/Attic/mux4n.tdrf.xgr,v
working file: atlas2/leafgen/doc/xgraph/mux4n.tdrf.xgr
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 2.1
date: 1995/02/18 01:08:11; author: ong; state: Exp;
Adding 2 more graphs

RCS file: /p/cvsroot/atlas2/leafgen/doc/xgraph/Attic/mux4n.tdsum.xgr,v
working file: atlas2/leafgen/doc/xgraph/mux4n.tdsum.xgr
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 2.1
date: 1995/02/18 01:08:13; author: ong; state: Exp;
Adding 2 more graphs

RCS file: /p/cvsroot/atlas2/leafgen/doc/xgraph/Attic/muxn.tdrf.xgr,v
working file: atlas2/leafgen/doc/xgraph/muxn.tdrf.xgr
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 2.1
date: 1995/02/18 01:01:55; author: ong; state: Exp;
Adding New Graphs

RCS file: /p/cvsroot/atlas2/leafgen/doc/xgraph/Attic/muxn.tdsum.xgr,v
working file: atlas2/leafgen/doc/xgraph/muxn.tdsum.xgr
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 2.1

by Feb 14-20 1995.log
date: 1995/02/18 01:01:57; author: ong; state: Exp;
Adding New Graphs

RCS file: /p/cvsroot/atlas2/tab/BOM,v
working file: atlas2/tab/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 201.0
keyword substitution: kv
total revisions: 11; selected revisions: 3
description:
releasebom adding BOM

revision 2.1
date: 1995/02/15 04:26:13; author: geert; state: Exp; lines: +5 -1
Release Target: atlas/tab/doc

Release this in the right place

Geert

revision 2.0
date: 1995/02/15 04:20:34; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/tab

Release Trancy's Tab data

Geert

revision 1.1
date: 1995/02/15 04:20:28; author: geert; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas2/tab/Attic/tab.ht,v
working file: atlas2/tab/tab.ht
head: 1.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/02/15 04:20:03; author: geert; state: Exp;
Trancy's data on Tab Frames

Geert

RCS file: /p/cvsroot/atlas2/tab/doc/BOM,v
working file: atlas2/tab/doc/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:

by Feb 14-20 1995.log

b4_rich: 201.0
keyword substitution: kv
total revisions: 9; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/02/15 04:26:02; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/tab/doc

Release this in the right place

Geert

revision 1.1
date: 1995/02/15 04:25:55; author: geert; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/tab/doc/tab.ht,v
working file: atlas2/tab/doc/tab.ht
head: 200.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 200.0
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.1
date: 1995/02/15 04:25:14; author: geert; state: Exp;
This was in the wrong place

Geert

=====

RCS file: /p/cvsroot/c_tests/plumhall/conform.exp,v
working file: c_tests/plumhall/conform.exp
head: 1.13
branch:
locks: strict
access list:
symbolic names:
plumhall: 1.1.1.2
plumhall5_0: 1.1.1.1
PlumHall: 1.1.1

keyword substitution: kv
total revisions: 15; selected revisions: 1
description:

revision 1.10
date: 1995/02/16 18:02:03; author: claseman; state: Exp; lines: +1 -1
adjust corrected results with actual

=====

RCS file: /p/cvsroot/c_tests/plumhall/conform/d75.c,v
working file: c_tests/plumhall/conform/d75.c
head: 1.3
branch:
locks: strict
access list:

by Feb 14-20 1995.log

symbolic names:

plumhall: 1.1.1.2
plumhall5_0: 1.1.1.1
PlumHall: 1.1.1

keyword substitution: kv

total revisions: 5; selected revisions: 1

description:

revision 1.2

date: 1995/02/14 23:48:20; author: claseman; state: Exp; lines: +4 -0

comment out 2 tests which are failing
=====